

Patterns of Brain Activity Supporting Autobiographical Memory, Propection, and Theory of Mind, and Their Relationship to the Default Mode Network

R. Nathan Spreng¹ and Cheryl L. Grady^{1,2}

Abstract

■ The ability to rise above the present environment and reflect upon the past, the future, and the minds of others is a fundamentally defining human feature. It has been proposed that these three self-referential processes involve a highly interconnected core set of brain structures known as the default mode network (DMN). The DMN appears to be active when individuals are engaged in stimulus-independent thought. This network is a likely candidate for supporting multiple processes, but this idea has not been tested directly. We used fMRI to examine brain activity during autobiographical remembering, propection, and theory-

of-mind reasoning. Using multivariate analyses, we found a common pattern of neural activation underlying all three processes in the DMN. In addition, autobiographical remembering and propection engaged midline DMN structures to a greater degree and theory-of-mind reasoning engaged lateral DMN areas. A functional connectivity analysis revealed that activity of a critical node in the DMN, medial prefrontal cortex, was correlated with activity in other regions in the DMN during all three tasks. We conclude that the DMN supports common aspects of these cognitive behaviors involved in simulating an internalized experience. ■

INTRODUCTION

Remembering one's past (autobiographical memory), imagining one's future (propection), and imagining the thoughts and feelings of others (theory of mind) are similar in that they all involve simulating an experience that is distinct from stimulus-driven behavior (Buckner & Carroll, 2007). Two domains, autobiographical memory and propection, have shown substantial behavioral and neural overlap. They are correlated in their phenomenological detail (D'Argembeau & Van der Linden, 2004) and temporal distribution (Spreng & Levine, 2006). Furthermore, they appear to share a common set of active brain areas (Addis, Wong, & Schacter, 2007; Szpunar, Watson, & McDermott, 2007; Okuda et al., 2003). Focal lesions to the medial-temporal lobes have resulted in co-occurring deficits in memory and imagining novel scenarios (Hassabis, Kumaran, Vann, & Maguire, 2007; Tulving, 1985).

Autobiographical memory, propection, and theory of mind are also interrelated (Perner, 2000; Suddendorf & Corballis, 1997). Simulation-based accounts of theory-of-mind resemble the process of remembering one's past and imagining one's future. Theory-of-mind reasoning can involve imagining the mindset of others and simulating their experience in order to understand their internal states (Blakemore & Decety, 2001). In all three instances, the individual must recreate an experience outside of their personal present moment (Buckner & Carroll,

2007). This trio of abilities emerges at the same time developmentally, at about 3.5 years of age (Perner, Kloo, & Gornik, 2007; Suddendorf, 1999). Autobiographical memory and theory of mind are not necessarily mutually dependent in adults, however, as shown in two patients with retrograde amnesia who performed well on theory-of-mind tasks (Rosenbaum, Stuss, Levine, & Tulving, 2007). Nevertheless, a quantitative summary of multiple independent observations has found substantial neural overlap between these three cognitive domains (Spreng, Mar, & Kim, 2009). To date, no study has directly tested the idea of common neural underpinnings for autobiographical memory, propection, and theory-of-mind reasoning within the same individuals.

There is evidence of overlap between the functional neuroanatomy of these domains and that of the default mode network (DMN; Spreng et al., 2009; Buckner & Carroll, 2007). The DMN is an intrinsically organized core set of brain regions observed to be more metabolically active at "rest." The network includes midline frontal and parietal structures, medial and lateral temporal lobes, and lateral parietal cortex (Buckner, Andrews-Hanna, & Schacter, 2008; Mazoyer et al., 2001; Raichle et al., 2001; Shulman et al., 1997). Behaviorally, the DMN may underlie stimulus-independent thought (McGuire, Paulesu, Frackowiak, & Frith, 1996). Self- and other-attribution judgments have been associated with medial prefrontal cortex (MPFC) activity (Mitchell, Banaji, & Macrae, 2005; Gusnard, Akbudak, Shulman, & Raichle, 2001), a reliable node of the DMN. Therefore, the process of projecting the self into the past,

¹Rotman Research Institute at Baycrest, Toronto, Ontario, Canada,

²University of Toronto, Ontario, Canada

the future, or into the minds of others may all rely on the DMN (Buckner et al., 2008; Buckner & Carroll, 2007). A separate network of regions that is “anticorrelated” to the DMN appears to be related to stimulus-driven attention that is common with many cognitive tasks. This network is typically referred to as the task-positive network (Fox et al., 2005). These two networks account for large-scale patterns of covariance across hundreds of neuroimaging studies (Toro, Fox, & Paus, 2008).

In the present study, we tested the hypothesis that adults who are engaged in autobiographical remembering, prospection, and theory-of-mind reasoning would activate the same set of brain regions across all three conditions. This hypothesis is consistent with the idea that the DMN mediates these processes. We used a multivariate method of analysis known as partial least squares (PLS) to identify where activity covaried across the three experimental conditions in the entire brain, and to see if this pattern was consistent with the DMN. To provide additional evidence that the DMN, and not the task-positive network, was engaged across the task conditions, we conducted a functional connectivity analysis of brain regions known to be part of these networks (Fox et al., 2005). We did so by examining the correlations of the DMN and task-positive seed regions across the three experimental conditions and the rest of the brain.

METHODS

Participants

fMRI scans of 16 healthy participants (mean age = 25.9 years, $SD = 4.0$; 5 men; 1 left-handed) were acquired while they engaged in cued autobiographical remembering, prospection, and theory-of-mind reasoning. Participants had normal or corrected-to-normal vision and no history of neurological or psychiatric illness. Years of education averaged 18.0 years ($SD = 1.8$). Participants gave written informed consent before inclusion in the study, which was approved by the ethics committee of Baycrest Centre.

Stimuli and Procedure

The study comprised three experimental conditions and a sensorimotor control condition. In the experimental conditions, participants engaged in cued autobiographical remembering, prospection, and theory-of-mind reasoning. Four 10-min runs, each consisting of 8 trials of each condition, for a total of 32 trials per condition, were presented and counterbalanced across participants. The study paradigm was designed to match visual input but vary the task demands.

In all experimental trials, a photograph and associated word were used as cues and were presented on the same screen for 4 sec. The 96 photographs were selected from the International Affective Picture System (IAPS; Lang, Bradley, & Cuthbert, 2005). Image valence ranged from

positive to neutral to negative while depicting people in various situations. By IAPS standards, the range of images was moderate (without graphic depictions of sex or mutilation): pleasure mean = 5.35 ($SD = 1.8$), arousal mean = 5.29 ($SD = 1.5$), and dominance mean = 5.36 ($SD = 2.0$). Matched for valence, arousal, and dominance, the stimuli were randomized within and unique to each run and were counterbalanced across conditions.

Each photograph contained one or more persons, such as a family around a dinner table. Below the photograph, a related cue word, such as “Family” was displayed. After the 4-sec viewing period, participants were presented with the instruction screen for 10 sec. On the instruction screen, participants were directed to use the photograph and the word as a cue to remember an event, imagine a future event or imagine the thoughts and feelings of someone in the photograph. For example: (A) “Remember a time when you went out with your family” (remembering), (B) “Imagine a time you will go out with your family” (prospection), or (C) “Imagine what the father in the picture was thinking and feeling” (theory-of-mind reasoning). To ensure sufficient time for autobiographical memory retrieval, a 10-sec interval was selected based on electrophysiological evidence (c.f. Conway, Pleydell-Pearce, Whitecross, & Sharpe, 2003). Next, participants rated how clearly they engaged in the recollection or imagining (1 = Very clearly, 2 = Somewhat clearly, 3 = Not clearly at all; see Figure 1).


In the control condition, participants viewed 32 scrambled photographs that were meaningless but matched the experimental photographs for perceptual input. The words “Control Stimulus” were displayed underneath each image (cf. Burianova & Grady, 2007). This was followed by a button press instruction (e.g., “Press the key that corresponds to the letter ‘P’.”). As in the experimental conditions, responses were made by pressing 1, 2, or 3 on a keypad (e.g., “1 = N, 2 = B, 3 = P”). Responses were recorded using a fiber-optic response pad placed in the participants’ right hand. One participant’s responses were not recorded.

All participants went through a three-step training session prior to scanning that included instruction, practice, and discussion. Training included an instructional conversation about autobiographical events being unique to time and place, envisaging future scenarios, and imagining the thoughts and feelings of others. After completing five practice trials for each condition, participant compliance was assessed. This included discussing the ability to engage the task for 8 to 10 sec, ease of engagement, and making a clarity judgment at the end of the 10-sec interval. Six participants requested to complete another practice run to clarify what was expected of them. All participants found the task to be easy and a majority spontaneously reported it to be enjoyable after the scanning session.

Image Preprocessing and Analysis

Brain imaging data were acquired with a 3.0-T Siemens scanner with a standard head coil. Anatomical scans

Figure 1. Example of an experimental trial. Participants viewed a photograph for 4 sec. Next, a condition-specific instruction with three clarity ratings was displayed for 10 sec. The intertrial interval (fixation) was 2 sec. In the example, the question relates to the future condition. Other participants may have seen the photograph paired in the autobiographical memory condition with the instruction, “Remember a time you had an intimate moment”; or, the theory-of-mind condition with the instruction, “Imagine what the woman was thinking and feeling.” Each photograph was presented only once per participant. Photographs were presented in their original color.



were acquired using a T1-weighted volumetric MRI (TR = 2000 msec, TE = 2.63 msec, 160 axial slices, 1.0 mm thick, FOV = 256 mm). Four runs of BOLD functional scans were acquired with a T2*-weighted EPI pulse sequence (TR = 2000 msec, TE = 30 msec, flip angle = 70°, FOV = 200 mm, 64 × 64 acquisition matrix), consisting of 30 contiguous, 5-mm-thick axial slices.

Images were reconstructed in AFNI (Cox, 1996), where they were first corrected for respiration and heart rate. Slice-timing was corrected to the first slice; next, motion was corrected using a 3-D Fourier transform interpolation using a functional volume that minimized the amount of motion to less than 2 mm. Finally, participants' images were spatially normalized to MNI space and smoothed using a 6-mm FWHM Gaussian filter in SPM5. The resulting voxel size was 4 × 4 × 4 mm.

To analyze the fMRI data, we used spatio-temporal PLS, a multivariate functional neuroimaging analysis tool designed to identify whole-brain patterns of activity that are correlated with task (McIntosh, Chau, & Protzner, 2004). PLS assessed the covariance between brain voxels (BOLD signal) and the experimental design to identify a limited number of components (latent variables, LVs) that optimally relate the two data matrices. This data-driven approach was similar to a principal component analysis and determined whole-brain patterns of activity. Unlike the standard univariate analysis that examines the independent activity of any single voxel, PLS is capable of detecting brain-wide systems that covary with the experimental design. With PLS, the hemodynamic response is not modeled explicitly, in the sense of defining a canonical response; instead, the algorithm determines the response that best characterizes the conditions of interest.

When applying PLS analysis to event-related data, the results provide a set of brain regions that are reliably related to the task conditions at eight poststimulus TRs (16 sec) for each LV (McIntosh et al., 2004). Activity at each time point for each event was normalized to activity in the first TR of the trial, defined here as the onset of the instructions. As we were primarily interested in activity related to the conditions, and not in stimulus-related activity to the cue photographs/words per se, we examined those neuroimages beginning with the instructions to engage in autobiographical remembering, prospection, theory-of-mind reasoning, or the control task. The TRs sampling brain activity during the interval of time spent viewing the photographs were not included in the analysis (see Discussion for potential carryover effects of picture viewing). In PLS, each brain voxel is given a weight, known as a salience (akin to a component loading). This salience is proportional to the covariance of activity with the task contrast at each time point on each LV. Multiplying the salience by the BOLD signal value in that voxel and summing the product across all voxels gives a brain score for each participant for each time point on a given LV (like a component score). These scores can be used to examine differences in brain activity across conditions, as greater activity in brain areas with positive (or negative) saliences on an LV will yield positive (or negative) mean scores for a given condition over each time point. The plots of mean brain scores show the pattern of activity across the brain, expressed over the 16-sec period, and are analogous to hemodynamic response functions typically plotted for individual brain regions.

The significance of each LV was determined by permutation testing (McIntosh, Bookstein, Haxby, & Grady,

1996), using 500 permutations. In a second, independent step, the reliability of the saliences for the brain voxels, characterizing each pattern identified by an LV, was determined by bootstrap resampling to estimate the standard errors for each voxel (Efron & Tibshirani, 1985). For each voxel at each TR, the salience/standard error ratio, or bootstrap ratio (BSR), was calculated and is roughly equivalent to a Z-score. Peak voxels with a BSR greater than four were considered reliable and approximates a p value of 10^{-4} . Clusters containing at least 10 reliable voxels were extracted, and a local maximum for each cluster was defined as the voxel with a BSR higher than any other voxel in a 2-cm cube centered on that voxel. Although most regions showed reliable activations across multiple time points, results are reported from the bootstrap ratios for the fourth and fifth TR (i.e., at 8–12 sec after instruction onset) as a representative index of brain activity in time. In focusing on these early and middle time points, brain activity associated with clarity judgments, made at approximately 9 sec after instruction onset (see Results), would be minimized. Locations of the maxima are reported in the stereotaxic coordinates of MNI space.

In order to directly examine task covariance in neural activity at the voxel level, changes in BOLD signal intensity for each TR were extracted for peak voxels from the task PLS analysis from the first LV in DMN regions (locations specified by Buckner et al., 2008, Table 1).

A common way of assessing activity in the DMN and in the task-positive network is to measure resting state functional connectivity using MPFC and inferior parietal sulcus (IPS) seed regions, respectively (Fox et al., 2005). In order to test the hypothesis that the three experimental conditions are associated with the DMN, and not the task-positive network, we sought to identify functionally connected networks of brain regions associated with the experimental conditions using “seed” PLS (McIntosh, 1999). Seed PLS correlates activity in a given region of interest with activity in all other brain voxels to assess the functional connectivity of this region and then examines how these correlation patterns differ across experimental conditions (McIntosh, 1999). We evaluated whether seeds in MPFC (0, 52, –16) and IPS (24, –64, 48) could reinstate the intrinsically organized default and task-positive networks in a *task-related* functional connectivity analysis. The coordinates from Fox et al. (2005) were transformed from Talairach to MNI using the Lancaster transformation (Lancaster et al., 2007). These seeds were selected because the regions are reliably engaged across conditions (Spreng et al., 2009; Toro et al., 2008) and functionally connected to the respective networks at rest (Fox et al., 2005). In seed PLS, correlation values represent the relationship between activity in a voxel and the whole-brain pattern identified in the analysis. We considered any region to be part of either the DMN or the task-positive network if it was within 2 cm of the average coordinate from a resting state functional

Table 1. Peak Regions Associated with LV1

<i>Location</i>	<i>Hemis</i>	<i>BA</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>Ratio</i>
<i>Past, Future, Other > Control</i>						
STS/MTG	L	21	–68	–36	–4	9.4
Pre-SMA	LR	8	–4	20	52	8.6
ACC	L	32	–12	32	20	8.0
RSC	L	29	–8	–44	4	7.8
MPFC	L	9	–12	56	44	7.8
MFG	L	6	–44	16	52	7.7
IFG (orbitalis)	L	47	–44	36	–12	7.4
Cerebellum	R	NA	20	–88	–36	7.1
PHC	R	30	32	–60	4	7.1
Putamen	R	NA	20	8	12	6.9
Putamen	L	NA	–20	4	8	6.7
IFG (triangularis)	L	45	–48	28	4	6.6
PCC	LR	23	–4	–48	24	6.4
MFG	L	8	–52	24	36	6.3
MTG	L	21	–64	–12	–16	6.2
ITG	L	20	–60	–12	–28	6.1
IPL	L	39	–40	–76	40	5.9
Frontal pole	L	10	–12	64	24	5.9
<i>Control > Past, Future, Other</i>						
MT+	R	19	28	–60	–16	–15.3
MT+	L	19	–48	–80	8	–12.5
Insula	L	13	–48	0	–4	–11.2
Thalamus	R	NA	20	–28	0	–9.3
Paracentral lobule	L	31	–16	–40	48	–6.5
Cerebellum	L	NA	–8	–72	–44	–6.3
Precentral gyrus	R	4	52	0	28	–6.0
Postcentral gyrus	L	1	–32	–32	72	–5.7

Clusters reported at TR5 with a minimum of 10 voxels with a BSR greater than 4. Hemis = hemisphere; L = left; R = right; BA = Brodmann's area; ACC = anterior cingulate cortex; HC = hippocampus; IFG = inferior frontal gyrus; IPL = inferior parietal lobule; ITG = inferior temporal gyrus; MCC = middle cingulate cortex; MFG = middle frontal gyrus; MOG = middle occipital gyrus; MPFC = medial prefrontal cortex; MT+ = ventral occipital cortex; MTG = middle temporal gyrus; PCC = posterior cingulate cortex; PCu = precuneus; PHC = parahippocampal gyrus; RSC = retrosplenial cortex; SOG = superior occipital gyrus; SMA = supplementary motor area; SMG = supramarginal gyrus; STS = superior temporal sulcus. Coordinates are in MNI space.

connectivity study (Fox et al., 2005) and a large-scale meta-analysis of coactivation patterns from 792 neuroimaging papers (Toro et al., 2008) and within the same neuro-anatomical structure (e.g., posterior cingulate cortex).

RESULTS

There were no differences in the proportion of clarity ratings between the experimental conditions (all p s > .05). The majority of responses were rated as “very clearly” (75–78%) followed by “somewhat clearly” (16–22%). Participants rated a small proportion of responses (2–5%) as “not clearly at all.” The pattern of brain activity remained unchanged when the data from responses that were rated as “not clearly at all” were excluded from the analysis. Therefore, we included all trials for each condition in the fMRI analysis. Response times were significantly faster for the control condition (mean = 2.9 sec, SD = 3.0 sec) than the autobiographical memory (mean = 9.0 sec, SD = 1.4 sec), prospection (mean = 9.4 sec, SD = 1.1 sec), and theory-of-mind (mean = 8.4 sec, SD = 1.5 sec). The experimental conditions did not differ [$F(3, 60) = 66.41$, $p < .001$, post hoc Tukey’s HSD $p < .05$].

Autobiographical memory, prospection, and theory-of-mind shared a common pattern of neural activity that accounted for 81.42% of the covariance in the data and was reliably differentiated from the control condition (LV1; $p = .002$; Figure 2). This common pattern included activation of the midline structures in frontal and parietal lobes; left-lateralized activation of inferior frontal gyrus, temporal pole, middle temporal gyrus, superior temporal sulcus and inferior parietal lobule; and activation

of right medial-temporal lobe (Table 1). In contrast, the control task was associated with increased bilateral activity in lateral parietal (including IPS) and occipital cortex (Table 1). Burianova and Grady (2007) observed a similar pattern of activation with the same control task, which is similar to the task-positive network revealed by resting state functional connectivity (Fox et al., 2005), only without dorsolateral prefrontal cortex. A second significant pattern of brain activity dissociated autobiographical memory and prospection from theory-of-mind, accounting for 13.75% of the covariance in the data (LV2; $p = .056$; Figure 3). Autobiographical memory and prospection demonstrated relatively greater frontal and parietal midline activity, along with substantial involvement of the hippocampal formation (Table 2). Theory-of-mind, in contrast, engaged the lateral temporal regions and right temporo-parietal junction (Table 2).

A critical question is whether these brain regions involved in autobiographical memory, prospection, and theory-of-mind are part of the DMN. The pattern of activity associated with LV1 and autobiographical memory, prospection, and theory of mind closely resembles the DMN, although the spatial extent of MPFC is smaller and the overall pattern is less bilateral than previous characterizations of the DMN (e.g., Buckner et al., 2008; Figure 2). Indeed, many areas of activity associated with LV1 and LV2 were located within 2 cm of published values

Figure 2. LV1 shows a functional differentiation between autobiographical memory (Past), prospection (Future), and theory-of-mind (Other) conditions (represented as warm colors) and control (cool colors) at TR4. Left medial and lateral views are on the left. The temporal brain score chart (bottom) conveys changes in brain activity related to task over time. For each LV, mean brain scores (summed scores of activity across the entire brain of each participants and averaged across participants) show the divergence between experimental and control conditions over time (eight 2-sec TRs), and are analogous to hemodynamic response functions typically plotted for individual brain regions.





Figure 3. LV2 differentiates autobiographical memory (Past) and prospection (Future) (represented as cool colors) from theory-of-mind (Other) (warm colors), where control is roughly at zero at TR5. Temporal brain scores (bottom) demonstrated maximal differentiation at the fifth TR. Left medial and lateral views are on the left.



for nodes within the DMN (Toro et al., 2008; Fox et al., 2005). The conditions differentially activated DMN for LV2 (Figure 3). Remembering the past or thinking about the future preferentially activated midline and medial temporal lobe structures, whereas theory-of-mind reasoning preferentially activated lateral temporal and parietal regions. Thus, brain activity across the conditions showed overlap, as well as some functional specialization, within the DMN.

Hemodynamic response function plots of peak voxels in DMN regions from LV1 (Figure 4A–I) demonstrated a nearly uniform pattern of covariance, dissociating autobiographical memory, prospection, and theory of mind from control in dorsal and ventral MPFC, bilateral lateral temporal cortex, bilateral inferior parietal lobule, and right parahippocampus. The theory-of-mind condition was not dissociated from control in left parahippocampus (Figure 4G). The contribution of theory of mind to the pattern of activity in posterior cingulate also was less robust (Figure 4I). A recently published formal graph-analytic network analysis of resting state functional connectivity correlations revealed five distinct yet highly interconnected hubs: MPFC, bilateral IPL, and two in posterior cingulate, one rostral (−2, −38, 36) and one caudal (−1, −53, 32) (Buckner et al., 2009; coordinates in MNI space). Response function plots of these two hubs within posterior cingulate cortex (Figure 4K, L) demonstrated theory of mind covarying with autobiographical memory and prospection in only the caudal region of

posterior cingulate. Both regions reliably contributed to the pattern of activity observed in LV1. However, only the rostral portion was reliably involved in the pattern identified by LV2 (BSR = −10.3) and was associated with autobiographical memory and prospection. The caudal region was not (BSR = −2.4).

Both seed PLS analyses revealed a significant pattern of functional connectivity ($p = .002$) that was reliable for MPFC (a key node in the DMN) and IPS (a key node in the task-positive network) based on a 99% confidence interval, for all three experimental conditions. In each experimental condition, measures of overall brain activity were significantly correlated with activity in the seed voxel across subjects: in the MPFC seed analysis, $r = .87$ for autobiographical memory, $r = .88$ for prospection, and $r = .74$ for theory-of-mind; in the IPS seed analysis, $r = .81$ for autobiographical memory, $r = .95$ for prospection, and $r = .85$ for theory of mind. The hemodynamic response function plots for the two seed voxels are shown in Figure 4B and J.

If thinking about the past, future, or the thoughts and feelings of others was associated with the DMN then the MPFC seed should be correlated with core regions of the DMN (Buckner et al., 2008) in these three conditions. This was indeed the case—the MPFC seed was correlated with activity in the left frontal pole, left inferior parietal lobule, medial parietal cortex, bilateral medial temporal

Table 2. Peak Regions Associated with LV2

<i>Location</i>	<i>Hemis</i>	<i>BA</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>Ratio</i>
<i>Other > Past, Future</i>						
STS/MTG	R	21/22	48	-36	-4	8.0
Temporo-parietal junction	R	39	48	-48	20	7.2
STS	L	22	-52	-48	12	6.6
<i>Past, Future > Other</i>						
PCC	LR	31	-4	-36	40	-14.5
PCC	LR	31	-8	-60	24	-12.0
RSC	L	29	-8	-44	8	-11.5
PHC	L	36	-24	-40	-20	-10.7
Fusiform gyrus	L	19	-32	-80	44	-10.1
PHC	R	30	8	-40	4	-9.6
HC	L	NA	-20	-20	-24	-8.1
ACC	LR	32	-4	40	4	-8.1
Frontal pole	L	10	-16	64	12	-7.8
Cerebellum	R	NA	16	-44	-52	-7.3
MFG	L	6	-24	16	52	-7.0
Thalamus	R	NA	4	-8	12	-6.8
Cerebellum	R	NA	44	-72	-44	-6.8
IFG (orbitalis)	L	47	-32	24	-8	-6.6
PHC	R	36	28	-40	-12	-6.4
Head of caudate	L	NA	-12	12	-4	-6.0
Brainstem	L	NA	-4	-20	-28	-5.4

lobes, and bilateral inferior temporal gyri (Table 3). The only DMN regions not included in this pattern of connectivity were the right lateral parietal cortex and right frontal pole. Alternatively, if thinking about the past, future, or the thoughts and feelings of others was associated with the task-positive network, functional connectivity would be expected within the core regions of this network, such as anterior insula, frontal eye fields, supplementary motor area, dorsolateral prefrontal and ventral occipital cortex. However, within the task-positive network, activity in the IPS voxel was only correlated with contralateral IPS region and left ventral occipital cortex (Table 3). No other core regions of this network were significantly correlated. Instead, the IPS seed was functionally associated with some DMN regions, including medial parietal cortex, as well as medial and lateral temporal cortex (Table 3). Both seeds demonstrated functional correlations with regions outside of the networks as well, such as cerebellum, cuneus, and occipital cortex (Table 3). Overall, the seed PLS analyses indicated more engagement of the DMN than the task-positive network during the experimental conditions.


DISCUSSION

In this study, we investigated the neural mechanisms underlying autobiographical memory, prospection, and theory of mind, and determined whether these domains rely upon a pattern of brain activity operating within the DMN. We used PLS analysis of fMRI data to examine whole-brain patterns of activity associated with thinking about the past, the future, and the thoughts and feelings of others. We then used seed PLS to examine the functional connectivity of brain regions that have previously been shown to be functionally associated with the DMN and the task-positive network while participants are at rest (Fox et al., 2005).

Autobiographical memory, prospection, and theory of mind shared a common pattern of brain activity, including midline structures in the frontal and parietal lobes. This is consistent with brain activity related to self- and other-referential thought (D'Argembeau et al., 2008; Johnson et al., 2006; Northoff & Bermpohl, 2004). Additionally, activation was observed in right medial temporal lobe and left-lateralized activation in inferior frontal gyrus, middle frontal gyrus, temporal pole, lateral temporal lobe, and inferior parietal lobule. Notably, we found activation of these DMN regions in the experimental conditions, relative to the control condition, despite the fact that our participants may have reverted back to the default mode after completing the easy and rapidly performed sensorimotor control task. Thus, autobiographical memory, prospection, and theory-of-mind tasks may activate DMN regions over and above spontaneous default activity. The observed regions may support the generative processing related to each of the experimental conditions, including semantic retrieval (Binder, Desai, Graves, & Conant, in press; Martin & Chao, 2001); the recollection of generic scripts that frame the remembered or imagined scene; and the integration of sensorimotor modalities comprising these scenes. Overall, the functional coordination of these heteromodal regions may be sufficient for producing self-relevant stimulus-independent thought.

Autobiographical memory and prospection demonstrated greater frontal and parietal midline activity, relative to theory-of-mind. Notably, there was also substantial involvement of the hippocampal formation for autobiographical memory and prospection: This may be due to the temporal extension of the self and greater recombination of contextualized event details involved in remembering and prospection (Hassabis, Kumaran, & Maguire, 2007; Schacter & Addis, 2007; Moscovitch, Nadel, Winocur, Gilboa, & Rosenbaum, 2006). In contrast, theory-of-mind reasoning uniquely activated superior temporal sulcus and right temporo-parietal junction, which may be preferentially engaged in mental and biological inferencing more specific to this domain (Gallagher & Frith, 2003; Saxe & Kanwisher, 2003). Alternately, the medial/lateral dissociation may be due to the allocation of attention to internal representations versus external stimuli (Buckner

Figure 4. BOLD signal response function plots. The magnitude of hemodynamic response function change is on the y-axis; TRs are on the x-axis. Bootstrap ratios (BSR) are from LV1 at TR4. A and C–I are peak LV1 voxels in default mode regions. B is the DMN seed region, contiguous to the peak ventral MPFC voxel (−4, 48, −16), not pictured. As indicated by the BSR, all voxels were highly reliable and remain so over multiple time points; however, some of these regions (B, E, F, G) did not meet the 10-voxel cluster size cutoff for reporting in Table 1. J is the task-positive seed region. K and L are discrete cortical network hubs in rostral posterior cingulate cortex (rosPCC) and caudal posterior cingulate cortex (cauPCC) identified by graph analysis (Buckner et al., 2009). Please refer to Table 1 note for abbreviations.



et al., 2008). That is, participants engaged in memory and prospection may have used the cue to access internal representations, whereas in the theory-of-mind condition, participants may have needed to retrieve more information about the photographs in order to imagine the mental states of the depicted people.

Although autobiographical memory, prospection, and theory-of-mind are types of stimulus-independent thought, and appear to engage the DMN, there is little consensus on whether the DMN is actually responsible for these kinds of processing. To further complicate the issue, monkeys show DMN activity (Vincent et al., 2007) but may have little concept of time (Roberts, 2002); in contrast, children with rudimentary autobiographical memory, prospection, and theory-of-mind skills do not have a fully developed DMN (Fair et al., 2008). Studying evolutionary changes to the frontal poles and lateral parietal cortex, and investigating developmental maturation of brain characteristics such as frontal white matter myelination, could resolve these issues eventually. Nevertheless, current functional neuroimaging methods are sufficient for examining the hypothesis that stimulus-independent

thought, such as autobiographical memory, prospection, and theory-of-mind, share a common neural basis in humans within the DMN. Our task-related functional connectivity analysis was capable of recapitulating most of the DMN, thereby supporting this hypothesis. Absent was right lateral parietal cortex, which is hypothesized to be involved in heteromodal integration between external salience and internal representations (Corbetta, Patel, & Shulman, 2008), a task demand predominant in only the theory-of-mind condition (LV2). The right frontal pole was also absent from the connectivity pattern, which is surprising considering that damage to this region can result in impaired perspective taking (Stuss, Gallup, & Alexander, 2001) and episodic memory (Wheeler, Stuss, & Tulving, 1997). The task-positive network, however, was not associated with autobiographical memory, prospection, or theory-of-mind. Instead, the results from the seed PLS analyses suggest that IPS, a key node of the task-positive network, can in fact be correlated with areas of the DMN when engaged in structured introspective behaviors, even though the two networks are “anticorrelated” when functional connectivity is assessed during the resting state (Fox et al., 2005). This disparity

Table 3. Functional Connectivity of the MPFC and rIPS Associated with Autobiographical Memory, Prospection, and Theory-of-Mind

<i>MPFC Seed</i>							<i>IPS Seed</i>						
<i>fc-Region</i>	<i>Hemis</i>	<i>BA</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>Ratio</i>	<i>fc-Region</i>	<i>Hemis</i>	<i>BA</i>	<i>x</i>	<i>y</i>	<i>z</i>	<i>Ratio</i>
<i>Default Mode Regions</i>													
PCu	LR	7	0	−68	36	7.8	PCu	LR	7	0	−60	44	7.2
PCC	L	31/23	−8	−40	28	12.1							
HC	L	NA	−36	−28	−12	6.6	PHC	L	28	−20	−28	−12	6.9
HC	R	NA	36	−20	−16	8.3	PHC	R	34	32	0	−20	5.8
ITG/MTG	L	20/21	−64	−16	−20	6.3							
ITG	R	20	48	−16	−28	4.9	MTG	R	21	60	−28	−12	9.4
Frontal pole	L	10	−8	56	8	6.4							
IPL	L	39	−48	−60	24	5.3							
<i>Task-positive Regions</i>													
							IPS	L	7	−20	−64	48	14.7
							MT+	L	37	−48	−60	4	6.6
<i>Other Regions</i>													
Cerebellum	L	NA	−16	−60	−16	6.2	Cerebellum	L	NA	−28	−48	−24	6.6
							Cerebellum	R	NA	36	−48	−28	8.3
SOG	LR	17	4	−88	0	7.1	MOG	L	19	−36	−76	20	12.0
Cuneus	LR	18	−4	−84	12	5.5	Cuneus	LR	17	−4	−72	8	8.7
							Cuneus	R	18	24	−60	8	6.5
Precentral gyrus	R	6	52	0	28	8.1	IFG	R	44	36	4	28	7.8
Precentral gyrus	R	6	52	−12	28	6.9	Brainstem	L	NA	−12	−28	−28	6.4
MCC	R	24	8	−16	40	7.8	SMG	L	40	−60	−24	36	5.1
							Lingual gyrus	L	18	−28	−76	−8	5.1

fc-Regions are functionally connected regions in the network. Regions labeled as DMN or task-positive are within 2 cm of published coordinates for this network and within the same brain structure.

suggests that regions comprising the default mode and task-positive networks may not be mutually inhibitory, or may be a consequence of the functional connectivity methodology (such as regressing out global mean signal; Murphy, Birn, Handwerker, Jones, & Bandettini, 2009). However, the absence of a positive association between IPS and the experimental conditions in the task PLS analysis limits strong conclusions.

No previous experiment has directly examined the relations among autobiographical memory, prospection, and theory-of-mind. One study compared cued autobiographical recollection from personal photos against a theory-of-mind type control task where participants imagined scenarios from stranger's photographs, including the thoughts and feelings of people in the photos (Gilboa, Winocur, Grady, Hevenor, & Moscovitch, 2004). The results from their univariate analysis of autobio-

graphical memory closely resembled the midline and medial-temporal regions found here in LV2.¹ Univariate analysis, however, does not detect the optimal relationship between brain activity and conditions unlike the multivariate analysis that was used in this study. Consistent with studies comparing autobiographical memory and prospection, a common pattern of neural activity is observed (Schacter & Addis, 2007), although some subsystems may differ (Addis, Pan, Vu, Laiser, & Schacter, 2009). Notably, the present work demonstrated common and differential recruitment between autobiographical, prospection, and theory-of-mind. Multivariate methods are not only more sensitive than the standard General Linear Model in detecting distributed patterns of brain activity (McIntosh et al., 2004), but are capable of quantifying the amount of covariance associated with neural events that can be explained by the tasks. We found that the amount of variance in brain

activity shared by the experimental conditions actually was greater than that which differentiated them, relative to the sensorimotor control condition. The shared pattern of neural activity in LV1 and the MPFC seed PLS analyses support the hypothesis that the same network is responsible for the core processing of the experimental tasks. Further, LV2, which accounts for less variance in neural activity, may reveal functional specialization of regions within DMN subsystems. Resting state functional connectivity analysis supports this view. Seed activity in posterior cingulate, medial prefrontal, or lateral parietal cortex are correlated with the entire default mode network (Fox et al., 2005; Buckner et al., 2008). Autobiographical memory and prospection, however, are associated with the hippocampal formation subsystem (Vincent et al., 2006). Further, connectivity with a dorsal MPFC seed region is associated with the theory-of-mind regions (Buckner et al., 2008). Core regions common to autobiographical memory, prospection, and theory-of-mind may support the construction and integration of personally salient information. Subsystems may provide specialized information to the core DMN. This may include information from prior experiences via input from the medial-temporal lobes, as well as elaborated representations of other people's actions and intentions with input from posterior STS and temporo-parietal junction.

The common brain activity across the experimental conditions might simply reflect neural processes driven by the carryover effect of viewing complex photographs and/or making a manual rating in response to a mental event; however, this is unlikely for several reasons. First, we limited the time points included in the analysis to those where self-projection was taking place and not when photos were being viewed. In addition, activity was normalized to the first TR after the photographs were viewed, reducing the impact of the BOLD signal related to prior perception. With spatio-temporal PLS, the progression of BOLD signal change over time is analyzed. In focusing our interpretation on the fourth and fifth TR, the impact of BOLD signal associated with photograph viewing was further reduced, although may still account for some covariance. Second, the shared pattern of brain activation is also unlikely to be related to the clarity ratings to any great extent. Most studies of autobiographical memory include a behavioral rating, such as amount of detail, immediately following the recollective interval. Participant awareness of an impending rating is unlikely to confound the phenomenological experience and associated neural activity of these processes prior to ratings actually being made, although these processes undoubtedly influence the rating itself. The absence of ratings, however, would eliminate a means to assess compliance. Furthermore, in this study, ratings occurred, on average, 9 sec after the participants were instructed to begin recollecting, planning, or thinking about the thoughts and feelings of others. As a result, BOLD signals related to clarity ratings fell outside the interpreted analysis.

Third, Burianova and Grady (2007) used a similar paradigm and found the first LV dissociated experimental conditions (autobiographical, episodic, and semantic memory retrieval) from a sensorimotor control condition identical to the one used here. In their experiment, complex photographs were also viewed and a behavioral rating was made in the experimental conditions. In the control condition, scrambled images were also presented and a manual response was made. Importantly, the regions identified by Burianova and Grady as common across retrieval conditions showed little overlap with the regions identified here as common to autobiographical memory, prospection, and theory of mind. However, both experiments found increased activity across experimental conditions in left lateral inferior and middle frontal gyri (Brodmann's areas 47, 8). These regions are involved in cognitive control (Vincent, Kahn, Snyder, Raichle, & Buckner, 2008; Brass, Derrfuss, Forstmann, & von Cramon, 2005), and thus, are likely to be involved across multiple cognitive domains. Taken together, the evidence from both studies, as well as the high rates of participant compliance (as indicated by the clarity ratings), makes it likely that the shared pattern of covariance (seen after the instructions are presented but before the clarity ratings are made) is related to the shared processes of the experimental conditions themselves.

The current set of analyses provides converging evidence that DMN regions are engaged with specific cognitive behaviors. These behaviors may not be limited to those observed here, but may also include related processes such as moral decision-making (Greene, Sommerville, Nystrom, Darley, & Cohen, 2001), fictional narrative simulation (Mar & Oatley, 2008; Mar, 2004), or mind-wandering (Christoff, Gordon, Smallwood, Smith, & Schooler, 2009; Mason et al., 2007). In order to determine the neural (in)dependence of these processes, however, neuropsychological investigations into co-occurring autobiographical and interpersonal deficits with compromised functional integrity of the midline, and lateral parietal and lateral temporal cortex are also necessary.

Our analyses were designed to investigate the neural mechanisms underlying autobiographical memory, prospection, and theory-of-mind, and to determine if these domains rely upon a pattern of brain activity operating within the DMN. The results provide the first direct evidence to support previous independent observations that projection of the self into the past, the future, or the minds of others engages a common set of brain regions largely overlapping with the DMN (Spreng et al., 2009; Buckner & Carroll, 2007). Task-related functional connectivity analysis revealed reliable correlations within the core regions of the DMN, and only two nodes in the task-positive network, suggesting that the DMN was engaged during our experimental conditions, but not the task-positive network. The present study does not directly compare the experimental tasks with "rest." Although pre- and postscan questionnaires have helped clarify resting state cognition (e.g., Andrews-Hanna, Huang, Reidler, &

Buckner, 2008; Mason et al., 2007), we remain unsure what people do while resting. In order to circumvent this issue, novel techniques and analyses are needed to assess default cognition and its neural associations. For example, one study assessed the overlap between episodic memory and theory-of-mind tasks, and then determined peak activity's relationship with the DMN using resting state functional connectivity analysis (Andrews-Hanna, Saxe, Poulin, & Buckner, 2007). The present set of analyses provides converging evidence that the neuroanatomical correlates of autobiographical memory, prospection, and theory-of-mind are shared and that the DMN is involved in the processing necessary to carry out these specific cognitive behaviors. This sharing of neural resources may allow remembering the past and imagining the future to provide a "long view" in decision-making, over and above stimulus-reward driven behavior, thereby facilitating theory-of-mind and promoting social cooperation (Boyer, 2008).

Acknowledgments

We thank the MRI technologists at Baycrest Centre, Magda Wojtowicz, Dale Stevens, and Karen Spreng for their assistance with this project. This work was supported by a grant from the Canadian Institutes of Health Research (MOP14036 to C. L. G.), by infrastructure support from the Ontario Research Fund and the Canadian Foundation for Innovation. Dr. Grady also is supported by the Canada Research Chairs program.

Reprint requests should be sent to R. Nathan Spreng, Department of Psychology, Harvard University, 33 Kirkland Street, Cambridge, MA 02138, or via e-mail: nathan.spreng@gmail.com.

Note

1. During the preparation of this article, we learned of a highly relevant paper by Rabin, Gilboa, Stuss, Mar, and Rosenbaum (2010) who used a very similar paradigm as Gilboa et al., (2004), but included a common baseline to assess conjunction as well as differences between autobiographical memory and theory of mind. Despite different methods, the authors report a striking consistency with the present findings.

REFERENCES

Addis, D. R., Pan, L., Vu, M.-A., Laiser, N., & Schacter, D. L. (2009). Constructive episodic simulation of the future and the past: Distinct subsystems of a core brain network mediate imagining and remembering. *Neuropsychologia*, *47*, 2222–2238.

Addis, D. R., Wong, A. T., & Schacter, D. L. (2007). Remembering the past and imagining the future: Common and distinct neural substrates during event construction and elaboration. *Neuropsychologia*, *45*, 1363–1377.

Andrews-Hanna, J. R., Huang, C., Reidler, J., & Buckner, R. L. (2008). Functional connectivity within the default network linked to spontaneous internal mentation. *Neuroscience Meeting Planner*. Washington, DC: Society for Neuroscience, Program No. 483.23.

Andrews-Hanna, J. R., Saxe, R., Poulin, R., & Buckner, R. L. (2007). The default system overlaps activation during theory of mind and episodic memory retrieval tasks. *Neuroscience Meeting Planner*. San Diego, CA: Society for Neuroscience, Program No. 421.17.

Binder, J. R., Desai, R. H., Graves, W. W., & Conant, L. L. (in press). Where is the semantic system? A critical review and meta-analysis of 120 functional neuroimaging studies. *Cerebral Cortex*, doi:10.1093/cercor/bhp055.

Blakemore, S. J., & Decety, J. (2001). From the perception of action to the understanding of intention. *Nature Reviews Neuroscience*, *2*, 561–567.

Boyer, P. (2008). Evolutionary economics of mental time travel? *Trends in Cognitive Sciences*, *12*, 219–224.

Brass, M., Derrfuss, J., Forstmann, B., & von Cramon, D. Y. (2005). The role of the inferior frontal junction area in cognitive control. *Trends in Cognitive Sciences*, *9*, 314–316.

Buckner, R. L., Andrews-Hanna, J. R., & Schacter, D. L. (2008). The brain's default network: Anatomy, function, and relevance to disease. *Annals of the New York Academy of Sciences*, *1124*, 1–38.

Buckner, R. L., & Carroll, D. C. (2007). Self-projection and the brain. *Trends in Cognitive Sciences*, *11*, 49–57.

Buckner, R. L., Sepulcre, J., Talukdar, T., Krienen, F. M., Liu, H., Hedden, T., et al. (2009). Cortical hubs revealed by intrinsic functional connectivity: Mapping, assessment of stability, and relation to Alzheimer's disease. *Journal of Neuroscience*, *29*, 1860–1873.

Burianova, H., & Grady, C. L. (2007). Common and unique neural activations in autobiographical, episodic, and semantic retrieval. *Journal of Cognitive Neuroscience*, *19*, 1520–1534.

Conway, M. A., Pleydell-Pearce, C. W., Whitecross, S. E., & Sharpe, H. (2003). Neurophysiological correlates of memory for experienced and imagined events. *Neuropsychologia*, *41*, 334–340.

Corbetta, M., Patel, G., & Shulman, G. L. (2008). The reorienting system of the human brain: From environment to theory of mind. *Neuron*, *58*, 306–324.

Cox, R. W. (1996). AFNI: Software for analysis and visualization of functional magnetic resonance neuroimages. *Computers and Biomedical Research*, *29*, 162–173.

Christoff, K., Gordon, A. M., Smallwood, J., Smith, R., & Schooler, J. W. (2009). Experience sampling during fMRI reveals default network and executive system contributions to mind wandering. *Proceedings of the National Academy of Sciences, U.S.A.*, *106*, 8719–8724.

D'Argembeau, A., Feyers, D., Majerus, S., Collette, F., Van der Linden, M., Maquet, P., et al. (2008). Self-reflection across time: Cortical midline structures differentiate between present and past selves. *Social Cognitive and Affective Neuroscience*, *3*, 244–252.

D'Argembeau, A., & Van der Linden, M. (2004). Phenomenal characteristics associated with projecting oneself back into the past and forward into the future: Influence of valence and temporal distance. *Consciousness & Cognition*, *13*, 844–858.

Efron, B., & Tibshirani, R. (1985). The bootstrap method for assessing statistical accuracy. *Behaviormetrika*, *17*, 1–35.

Fair, D. A., Cohen, A. L., Dosenbach, N. U. F., Church, J. A., Miezin, F. M., Barch, D. M., et al. (2008). The maturing architecture of the brain's default network. *Proceedings of the National Academy of Sciences, U.S.A.*, *105*, 4028–4032.

Fox, M. D., Snyder, A. Z., Vincent, J. L., Corbetta, M., Van Essen, D. C., & Raichle, M. E. (2005). The human brain is intrinsically organized into dynamic, anticorrelated functional networks. *Proceedings of the National Academy of Sciences, U.S.A.*, *102*, 9673–9678.

Gallagher, H. L., & Frith, C. D. (2003). Functional imaging of "theory of mind". *Trends in Cognitive Sciences*, *7*, 77–83.

Gilboa, A., Winocur, G., Grady, C. L., Hevenor, S. J., & Moscovitch, M. (2004). Remembering our past: Functional neuroanatomy of recollection of recent and very remote personal events. *Cerebral Cortex*, *14*, 1214–1225.

Greene, J. D., Sommerville, R. B., Nystrom, L. E., Darley, J. M., & Cohen, J. D. (2001). An fMRI investigation of emotional engagement in moral judgment. *Science*, *293*, 2105–2108.

- Gusnard, D. A., Akbudak, E., Shulman, G. L., & Raichle, M. E. (2001). Medial prefrontal cortex and self-referential mental activity: Relation to a default mode of brain function. *Proceedings of the National Academy of Sciences, U.S.A.*, 98, 4259–4264.
- Hassabis, D., Kumaran, D., & Maguire, E. A. (2007). Using imagination to understand the neural basis of episodic memory. *Journal of Neuroscience*, 26, 14365–14374.
- Hassabis, D., Kumaran, D., Vann, S. D., & Maguire, E. A. (2007). Patients with hippocampal amnesia cannot imagine new experiences. *Proceedings of the National Academy of Sciences, U.S.A.*, 104, 1726–1731.
- Johnson, M. K., Raye, C. L., Mitchell, K. J., Touryan, S. R., Greene, E. J., & Nolen-Hoeksema, S. (2006). Dissociating medial frontal and posterior cingulate activity during self-reflection. *Social Cognitive and Affective Neuroscience*, 1, 56–64.
- Lancaster, J. L., Tordesillas-Gutierrez, D., Martinez, M., Salinas, F., Evans, A., Zilles, K., et al. (2007). Bias between MNI and Talairach coordinates analyzed using the ICBM-152 brain template. *Human Brain Mapping*, 28, 1194–1205.
- Lang, P. J., Bradley, M. M., & Cuthbert, B. N. (2005). *International affective picture system (IAPS): Affective ratings of pictures and instruction manual*. Technical Report A-6. University of Florida, Gainesville, FL.
- Mar, R. A. (2004). The neuropsychology of narrative: Story comprehension, story production and their interrelation. *Neuropsychologia*, 42, 1414–1434.
- Mar, R. A., & Oatley, K. (2008). The function of fiction is the abstraction and simulation of social experience. *Perspectives on Psychological Science*, 3, 173–192.
- Martin, A., & Chao, L. L. (2001). Semantic memory and the brain: Structure and processes. *Current Opinion in Neurobiology*, 11, 194–201.
- Mason, M. F., Norton, M. I., Van Horn, J. D., Wegner, D. M., Grafton, S. T., & Macrae, C. N. (2007). Wandering minds: The default network and stimulus-independent thought. *Science*, 315, 393–395.
- Mazoyer, B., Zago, L., Mellet, E., Bricogne, S., Etard, O., Houdé, O., et al. (2001). Cortical networks for working memory and executive functions sustain the conscious resting state in man. *Brain Research Bulletin*, 54, 287–298.
- McGuire, P. K., Paulesu, E., Frackowiak, R. S. J., & Frith, C. D. (1996). Brain activity during stimulus independent thought. *NeuroReport*, 7, 2095–2099.
- McIntosh, A. R. (1999). Mapping cognition to the brain through neural interactions. *Memory*, 7, 523–548.
- McIntosh, A. R., Bookstein, F. L., Haxby, J. V., & Grady, C. L. (1996). Spatial pattern analysis of functional brain images using partial least squares. *Neuroimage*, 3, 143–157.
- McIntosh, A. R., Chau, W., & Protzner, A. B. (2004). Spatiotemporal analysis of event-related fMRI data using partial least squares. *Neuroimage*, 23, 764–775.
- Mitchell, J. P., Banaji, M. R., & Macrae, C. N. (2005). The link between social cognition and self-referential thought in the medial prefrontal cortex. *Journal of Cognitive Neuroscience*, 17, 1306–1315.
- Moscovitch, M., Nadel, L., Winocur, G., Gilboa, A., & Rosenbaum, R. S. (2006). The cognitive neuroscience of remote episodic, semantic and spatial memory. *Current Opinion in Neurobiology*, 16, 179–190.
- Murphy, K., Birn, R. M., Handwerker, D. A., Jones, T. B., & Bandettini, P. A. (2009). The impact of global signal regression on resting state correlations: Are anti-correlated networks introduced? *Neuroimage*, 44, 893–905.
- Northoff, G., & Bermpohl, F. (2004). Cortical midline structures and the self. *Trends in Cognitive Sciences*, 8, 102–107.
- Okuda, J., Fujii, T., Ohtake, H., Tsukiura, T., Tanji, K., Suzuki, K., et al. (2003). Thinking of the future and past: The roles of the frontal pole and the medial temporal lobes. *Neuroimage*, 19, 1369–1380.
- Perner, J. (2000). Memory and theory of mind. In F. I. M. Craik & E. Tulving (Eds.), *Oxford handbook of memory* (pp. 297–312). New York: Oxford University Press.
- Perner, J., Kloo, D., & Gornik, E. (2007). Episodic memory development: Theory of mind is part of re-experiencing experienced events. *Infant and Child Development*, 16, 471–490.
- Rabin, J. S., Gilboa, A., Stuss, D. T., Mar, R. A., & Rosenbaum, R. S. (2010). Common and unique neural correlates of autobiographical memory and theory of mind. *Journal of Cognitive Neuroscience*, 22, 1095–1111.
- Raichle, M. E., MacLeod, A. M., Snyder, A. Z., Powers, W. J., Gusnard, D. A., & Shulman, G. L. (2001). A default mode of brain function. *Proceedings of the National Academy of Sciences, U.S.A.*, 98, 676–682.
- Roberts, W. A. (2002). Are animals stuck in time? *Psychological Bulletin*, 128, 473–489.
- Rosenbaum, R. S., Stuss, D. T., Levine, B., & Tulving, E. (2007). Theory of mind is independent of episodic memory. *Science*, 318, 1257.
- Saxe, R., & Kanwisher, N. (2003). People thinking about thinking people—The role of the temporo-parietal junction in “theory of mind”. *Neuroimage*, 19, 1835–1842.
- Schacter, D. L., & Addis, D. R. (2007). The cognitive neuroscience of constructive memory: Remembering the past and imagining the future. *Philosophical Transactions of the Royal Society of London, Series B, Biological Sciences*, 362, 773–786.
- Shulman, G. L., Fiez, J. A., Corbetta, M., Buckner, R. L., Miezin, F. M., Raichle, M. E., et al. (1997). Common blood flow changes across visual tasks: II. Decreases in cerebral cortex. *Journal of Cognitive Neuroscience*, 9, 648–663.
- Spreng, R. N., & Levine, B. (2006). The temporal distribution of past and future autobiographical events across the lifespan. *Memory & Cognition*, 34, 1644–1651.
- Spreng, R. N., Mar, R. A., & Kim, A. S. (2009). The common neural basis of autobiographical memory, prospection, navigation, theory of mind and the default mode: A quantitative meta-analysis. *Journal of Cognitive Neuroscience*, 21, 489–510.
- Stuss, D. T., Gallup, G. G., & Alexander, M. P. (2001). The frontal lobes are necessary for “theory of mind”. *Brain*, 124, 279–286.
- Suddendorf, T. (1999). The rise of the metacognition. In M. C. Corballis & S. Lea (Eds.), *The descent of mind: Psychological perspectives on hominid evolution*. Oxford: Oxford University Press.
- Suddendorf, T., & Corballis, M. C. (1997). Mental time travel and the evolution of the human mind. *Genetic Social and General Psychology Monographs*, 123, 133–167.
- Szpunar, K. K., Watson, J. M., & McDermott, K. B. (2007). Neural substrates of envisioning the future. *Proceedings of the National Academy of Sciences, U.S.A.*, 104, 642–647.
- Toro, R., Fox, P. T., & Paus, T. (2008). Functional coactivation map of the human brain. *Cerebral Cortex*, 18, 2553–2559.
- Tulving, E. (1985). Memory and consciousness. *Canadian Psychology*, 26, 1–12.
- Vincent, J. L., Kahn, I., Snyder, A. Z., Raichle, M. E., & Buckner, R. L. (2008). Evidence for a frontoparietal control system revealed by intrinsic functional connectivity. *Journal of Neurophysiology*, 100, 3328–3342.
- Vincent, J. L., Patel, G. H., Fox, M. D., Snyder, A. Z., Baker, J. T., Van Essen, D. C., et al. (2007). Intrinsic functional architecture in the anaesthetized monkey brain. *Nature*, 447, 83–86.
- Vincent, J. L., Snyder, A. Z., Fox, M. D., Shannon, B. J., Andrews, J. R., Raichle, M. E., et al. (2006). Coherent spontaneous activity identifies a hippocampal–parietal memory network. *Journal of Neurophysiology*, 96, 3517–3531.
- Wheeler, M. A., Stuss, D. T., & Tulving, E. (1997). Toward a theory of episodic memory: The frontal lobes and autonoetic consciousness. *Psychological Bulletin*, 121, 331–354.

This article has been cited by:

1. D. Vatansever, M. Schröter, R. M. Adapa, E. T. Bullmore, D. K. Menon, E. A. Stamatakis. 2020. Reorganisation of Brain Hubs across Altered States of Consciousness. *Scientific Reports* **10**:1. . [\[Crossref\]](#)
2. Brendan Gaesser. 2020. Episodic mindreading: Mentalizing guided by scene construction of imagined and remembered events. *Cognition* **203**, 104325. [\[Crossref\]](#)
3. Reece P. Roberts, Cheryl L. Grady, Donna Rose Addis. 2020. Creative, internally-directed cognition is associated with reduced BOLD variability. *NeuroImage* **219**, 116758. [\[Crossref\]](#)
4. Ting Li, Li Wang, Julia A. Camilleri, Xinling Chen, Suiqing Li, Jennifer L. Stewart, Yali Jiang, Simon B. Eickhoff, Chunliang Feng. 2020. Mapping common grey matter volume deviation across child and adolescent psychiatric disorders. *Neuroscience & Biobehavioral Reviews* **115**, 273-284. [\[Crossref\]](#)
5. Peter Gärdenfors, Marlize Lombard. 2020. Technology led to more abstract causal reasoning. *Biology & Philosophy* **35**:4. . [\[Crossref\]](#)
6. Kenneth D. Locke, Khairul A. Mastor, Geoff MacDonald, Daniela Barni, Hiroaki Morio, Jose Alberto S. Reyes, José de Jesús Vargas-Flores, Joselina Ibáñez-Reyes, Shanmukh Kamble, Fernando A. Ortiz. 2020. Young adults' partner preferences and parents' in-law preferences across generations, genders, and nations. *European Journal of Social Psychology* **50**:5, 903-920. [\[Crossref\]](#)
7. Ying Wu, Chao Wang, Wei Qian, Lina Yu, Xiufang Xing, Lieju Wang, Na Sun, Minming Zhang, Min Yan. 2020. Disrupted default mode network dynamics in recuperative patients of herpes zoster pain. *CNS Neuroscience & Therapeutics* **107**. . [\[Crossref\]](#)
8. Simon C. Tremblay, Safae Essafi Tremblay, Pierre Poirier. 2020. From filters to fillers: an active inference approach to body image distortion in the selfie era. *AI & SOCIETY* **64**. . [\[Crossref\]](#)
9. Igor Lima Maldonado, Vitor Parente de Matos, Taryn Ariadna Castro Cuesta, Guillaume Herbet, Christophe Destrieux. 2020. The human cingulum: From the limbic tract to the connectionist paradigm. *Neuropsychologia* **144**, 107487. [\[Crossref\]](#)
10. Steven Brown. 2020. The “Who” System of the Human Brain: A System for Social Cognition About the Self and Others. *Frontiers in Human Neuroscience* **14**. . [\[Crossref\]](#)
11. Rocco Chiou, Gina F Humphreys, Matthew A Lambon Ralph. 2020. Bipartite Functional Fractionation within the Default Network Supports Disparate Forms of Internally Oriented Cognition. *Cerebral Cortex* **152**. . [\[Crossref\]](#)
12. Amnon Dafni-Merom, Shahar Arzy. 2020. The radiation of autonoetic consciousness in cognitive neuroscience: A functional neuroanatomy perspective. *Neuropsychologia* **143**, 107477. [\[Crossref\]](#)
13. Yann Quidé, Chiara C. Bortolasci, Briana Spolding, Srisaiyini Kidnapillai, Oliver J. Watkeys, Sarah Cohen-Woods, Vaughan J. Carr, Michael Berk, Ken Walder, Melissa J. Green. 2020. Systemic inflammation and grey matter volume in schizophrenia and bipolar disorder: Moderation by childhood trauma severity. *Progress in Neuro-Psychopharmacology and Biological Psychiatry* 110013. [\[Crossref\]](#)
14. Shahar Arzy, Amnon Dafni-Merom. Imagining and Experiencing the Self on Cognitive Maps 311-331. [\[Crossref\]](#)
15. Ye Zhanga, Qiang Haob, Guoqiang Caib, Chen Yangc. 2020. Vehicle recognition model for complex scenarios based on human memory mechanism. *Journal of Intelligent & Fuzzy Systems* **12**, 1-11. [\[Crossref\]](#)
16. Rajpreet Chahal, Ian H. Gotlib, Amanda E. Guyer. 2020. Research Review: Brain network connectivity and the heterogeneity of depression in adolescence – a precision mental health perspective. *Journal of Child Psychology and Psychiatry* **259**. . [\[Crossref\]](#)
17. Isabella C Wagner, Markus Rütgen, Claus Lamm. 2020. Pattern similarity and connectivity of hippocampal-neocortical regions support empathy for pain. *Social Cognitive and Affective Neuroscience* **15**:3, 273-284. [\[Crossref\]](#)
18. Madison Long, Willem Verbeke, Tsachi Ein-Dor, Pascal Vrtička. 2020. A functional neuro-anatomical model of human attachment (NAMA): Insights from first- and second-person social neuroscience. *Cortex* **126**, 281-321. [\[Crossref\]](#)
19. Wen He, Hongsheng Liu, Zhenqing Liu, Qianqian Wu. 2020. Electrical status epilepticus in sleep affects intrinsically connected networks in patients with benign childhood epilepsy with centrottemporal spikes. *Epilepsy & Behavior* **106**, 107032. [\[Crossref\]](#)
20. B. Metternich, K. Spanhel, A. Schoendube, I. Ofer, M. J. Geiger, A. Schulze-Bonhage, H. Mast, K. Wagner. 2020. Flashbulb memory recall in healthy adults – a functional magnetic resonance imaging study. *Memory* **28**:4, 461-472. [\[Crossref\]](#)
21. Lia Kvavilashvili, Agnieszka Niedźwieńska, Sam J. Gilbert, Ioanna Markostamou. 2020. Deficits in Spontaneous Cognition as an Early Marker of Alzheimer's Disease. *Trends in Cognitive Sciences* **24**:4, 285-301. [\[Crossref\]](#)
22. Jessica S. Flannery, Michael C. Riedel, Katherine L. Bottenhorn, Ranjita Poudel, Taylor Salo, Lauren D. Hill-Bowen, Angela R. Laird, Matthew T. Sutherland. 2020. Meta-analytic clustering dissociates brain activity and behavior profiles across reward processing paradigms. *Cognitive, Affective, & Behavioral Neuroscience* **20**:2, 215-235. [\[Crossref\]](#)

23. Timothy J. Valshtein, Elizabeth R. Mutter, Gabriele Oettingen, Peter M. Gollwitzer. 2020. Relatedness needs and negative fantasies as the origins of obsessive thinking in romantic relationships. *Motivation and Emotion* 44:2, 226-243. [[Crossref](#)]
24. Janine Thome, Braeden A. Terpou, Margaret C. McKinnon, Ruth A. Lanius. 2020. The neural correlates of trauma-related autobiographical memory in posttraumatic stress disorder: A meta-analysis. *Depression and Anxiety* 37:4, 321-345. [[Crossref](#)]
25. Yann Quidé, Camille Wilhelmi, Melissa J. Green. 2020. Structural brain morphometry associated with theory of mind in bipolar disorder and schizophrenia. *PsyCh Journal* 9:2, 234-246. [[Crossref](#)]
26. N.C.J. Müller, M. Dresler, G. Janzen, C.F. Beckmann, G. Fernández, N. Kohn. 2020. Medial prefrontal decoupling from the default mode network benefits memory. *NeuroImage* 210, 116543. [[Crossref](#)]
27. Shintaro Takenoshita, Satoshi Hayashi, Takayoshi Shinya, Tomoko Miki, Osamu Yokota, Yohko Maki, Hideyuki Hattori, Norihito Yamada, Seishi Terada. 2020. Sally–Anne test and regional cerebral blood flow in Alzheimer's disease dementia. *Psychogeriatrics* 2. . [[Crossref](#)]
28. Xue Yu, Edmund Sonuga-Barke. 2020. Childhood ADHD and Delayed Reinforcement: A Direct Comparison of Performance on Hypothetical and Real-Time Delay Tasks. *Journal of Attention Disorders* 24:5, 810-818. [[Crossref](#)]
29. Lauren M. DiNicola, Rodrigo M. Braga, Randy L. Buckner. 2020. Parallel distributed networks dissociate episodic and social functions within the individual. *Journal of Neurophysiology* 123:3, 1144-1179. [[Crossref](#)]
30. Stavros Skouras, Jordi Torner, Patrik Andersson, Yury Koush, Carles Falcon, Carolina Minguillon, Karine Fauria, Francesc Alpile, Kaj Blenow, Henrik Zetterberg, Juan D Gispert, José L Molinuevo, Anna Brugulat-Serrat, Raffaele Cacciaglia, Marta Crous-Bou, Carme Deulofeu, Ruth Dominguez, Xavi Gotsens, Oriol Grau-Ri, vera, Laura Hernandez, Gema Huesa, Jordi Huguet, Maria León, Paula Marne, Tania Menchón, Marta Milà-Alomà, Grégory Operto, Maria Pascual, Albina Polo, San, dra Pradas, Aleix Sala-Vila, Gemma Salvadó, Gonzalo Sánchez-Benavides, Sab, rina Segundo, Anna Soteras, Marc Suárez-Calvet, Laia Tenas, Marc Vilanova, Natalia Vilor-Tejedor. 2020. Earliest amyloid and tau deposition modulate the influence of limbic networks during closed-loop hippocampal downregulation. *Brain* 143:3, 976-992. [[Crossref](#)]
31. Andrew F. Gao, Julia L. Keith, Fu-qiang Gao, Sandra E. Black, Morris Moscovitch, R. Shayna Rosenbaum. 2020. Neuropathology of a remarkable case of memory impairment informs human memory. *Neuropsychologia* 140, 107342. [[Crossref](#)]
32. Qin Chen, Kejal Kantarci. 2020. Imaging Biomarkers for Neurodegeneration in Presymptomatic Familial Frontotemporal Lobar Degeneration. *Frontiers in Neurology* 11. . [[Crossref](#)]
33. Ching-Hsiung Liu, Tzu-Chen Yeh, Yen-Ying Kung, Hung-Pin Tseng, Ching-Ju Yang, Tzu-Yi Hong, Chou-Ming Cheng, Jen-Lin Yang, Ta-Peng Wu, Jen-Chuen Hsieh, Fang-Pey Chen. 2020. Changes in resting-state functional connectivity in nonacute sciatica with acupuncture modulation: A preliminary study. *Brain and Behavior* 10:2. . [[Crossref](#)]
34. Hossein Hassanpoor, Maryam Saidi. 2020. An investigation into the effective role of astrocyte in the hippocampus pattern separation process: A computational modeling study. *Journal of Theoretical Biology* 487, 110114. [[Crossref](#)]
35. Hui-Xia Zhou, Xiao Chen, Yang-Qian Shen, Le Li, Ning-Xuan Chen, Zhi-Chen Zhu, Francisco Xavier Castellanos, Chao-Gan Yan. 2020. Rumination and the default mode network: Meta-analysis of brain imaging studies and implications for depression. *NeuroImage* 206, 116287. [[Crossref](#)]
36. Thomas D Miller, Trevor T-J Chong, Anne M Aimola Davies, Michael R Johnson, Sarosh R Irani, Masud Husain, Tammy WC Ng, Saiju Jacob, Paul Maddison, Christopher Kennard, Penny A Gowland, Clive R Rosenthal. 2020. Human hippocampal CA3 damage disrupts both recent and remote episodic memories. *eLife* 9. . [[Crossref](#)]
37. Xin Huang, Yan Tong, Chen-Xing Qi, Han-Dong Dan, Qin-Qin Deng, Yin Shen. 2020. Large-Scale Neuronal Network Dysfunction in Diabetic Retinopathy. *Neural Plasticity* 2020, 1-13. [[Crossref](#)]
38. Hiroki Kurashige, Jun Kaneko, Yuichi Yamashita, Rieko Osu, Yohei Otaka, Takashi Hanakawa, Manabu Honda, Hideaki Kawabata. 2020. Revealing Relationships Among Cognitive Functions Using Functional Connectivity and a Large-Scale Meta-Analysis Database. *Frontiers in Human Neuroscience* 13. . [[Crossref](#)]
39. Joachim Keppler. 2020. The Common Basis of Memory and Consciousness: Understanding the Brain as a Write–Read Head Interacting With an Omnipresent Background Field. *Frontiers in Psychology* 10. . [[Crossref](#)]
40. Henryk Bukowski, Claus Lamm. Superior Temporal Sulcus 5316–5319. [[Crossref](#)]
41. 2020. OUP accepted manuscript. *Cerebral Cortex* . [[Crossref](#)]
42. Melinda L. Jackson, Genevieve Rayner, Sarah Wilson, Rachel Schembri, Lucy Sommers, Fergal J. O'Donoghue, Graeme D. Jackson, Chris Tailby. 2020. Integrity of Multiple Memory Systems in Individuals With Untreated Obstructive Sleep Apnea. *Frontiers in Neuroscience* 14. . [[Crossref](#)]
43. 2020. OUP accepted manuscript. *Cerebral Cortex* . [[Crossref](#)]

44. Michael Gilead, Yaacov Trope, Nira Liberman. 2020. Above and beyond the concrete: The diverse representational substrates of the predictive brain. *Behavioral and Brain Sciences* **43**. . [\[Crossref\]](#)
45. Danielle R. Sullivan, David H. Salat, Erika J. Wolf, Mark W. Logue, Catherine B. Fortier, Jennifer R. Fonda, Joseph DeGutis, Michael Esterman, William P. Milberg, Regina E. McGlinchey, Mark W. Miller. 2020. Interpersonal early life trauma is associated with increased cerebral perfusion and poorer memory performance in post-9/11 veterans. *NeuroImage: Clinical* **28**, 102365. [\[Crossref\]](#)
46. Nathalie André, Michel Audiffren, Roy F. Baumeister. 2019. An Integrative Model of Effortful Control. *Frontiers in Systems Neuroscience* **13**. . [\[Crossref\]](#)
47. Hirofumi Tanaka, Takashi Tarumi, Jörn Rittweger. Aging and Physiological Lessons from Master Athletes 261-296. [\[Crossref\]](#)
48. Matteo De Marco, Sebastien Ourselin, Annalena Venneri. 2019. Age and hippocampal volume predict distinct parts of default mode network activity. *Scientific Reports* **9**:1. . [\[Crossref\]](#)
49. Pedro Nascimento Alves, Chris Foulon, Vyacheslav Karolis, Danilo Bzdok, Daniel S. Margulies, Emmanuelle Volle, Michel Thiebaut de Schotten. 2019. An improved neuroanatomical model of the default-mode network reconciles previous neuroimaging and neuropathological findings. *Communications Biology* **2**:1. . [\[Crossref\]](#)
50. XiaoHong Yang, HuiJie Li, Nan Lin, XiuPing Zhang, YinShan Wang, Ying Zhang, Qian Zhang, XiNian Zuo, YuFang Yang. 2019. Uncovering cortical activations of discourse comprehension and their overlaps with common large-scale neural networks. *NeuroImage* **203**, 116200. [\[Crossref\]](#)
51. Regina W. Y. Wang, Wei-Li Chang, Shang-Wen Chuang, I-Ning Liu. 2019. Posterior cingulate cortex can be a regulatory modulator of the default mode network in task-negative state. *Scientific Reports* **9**:1. . [\[Crossref\]](#)
52. Michael A. Ferguson, Chun Lim, Danielle Cooke, R. Ryan Darby, Ona Wu, Natalia S. Rost, Maurizio Corbetta, Jordan Grafman, Michael D. Fox. 2019. A human memory circuit derived from brain lesions causing amnesia. *Nature Communications* **10**:1. . [\[Crossref\]](#)
53. Oriel FeldmanHall, Paul Glimcher, Augustus L. Baker, NYU PROSPEC Collaboration, Elizabeth A. Phelps. 2019. The Functional Roles of the Amygdala and Prefrontal Cortex in Processing Uncertainty. *Journal of Cognitive Neuroscience* **31**:11, 1742-1754. [\[Abstract\]](#) [\[Full Text\]](#) [\[PDF\]](#) [\[PDF Plus\]](#)
54. Judith N. Mildner, Diana I. Tamir. 2019. Spontaneous Thought as an Unconstrained Memory Process. *Trends in Neurosciences* **42**:11, 763-777. [\[Crossref\]](#)
55. Nerissa Siu Ping Ho, Xiuyi Wang, Deniz Vatansever, Daniel S Margulies, Boris Bernhardt, Elizabeth Jefferies, Jonathan Smallwood. 2019. Individual variation in patterns of task focused, and detailed, thought are uniquely associated within the architecture of the medial temporal lobe. *NeuroImage* **202**, 116045. [\[Crossref\]](#)
56. Nadine Eijsker, Arjan Schröder, Dirk J. A. Smit, Guido van Wingen, Damiaan Denys. 2019. Neural Basis of Response Bias on the Stop Signal Task in Misophonia. *Frontiers in Psychiatry* **10**. . [\[Crossref\]](#)
57. Winnie Qian, Corinne E. Fischer, Nathan W. Churchill, Sanjeev Kumar, Tarek Rajji, Tom A. Schweizer. 2019. Delusions in Alzheimer Disease are Associated With Decreased Default Mode Network Functional Connectivity. *The American Journal of Geriatric Psychiatry* **27**:10, 1060-1068. [\[Crossref\]](#)
58. Meytal Wilf, Andrea Serino, Stephanie Clarke, Sonia Crottaz-Herbette. 2019. Prism adaptation enhances decoupling between the default mode network and the attentional networks. *NeuroImage* **200**, 210-220. [\[Crossref\]](#)
59. Randy L. Buckner, Lauren M. DiNicola. 2019. The brain's default network: updated anatomy, physiology and evolving insights. *Nature Reviews Neuroscience* **20**:10, 593-608. [\[Crossref\]](#)
60. Rodrigo C. Marques, Larissa Vieira, Déborah Marques, Amaury Cantilino. 2019. Transcranial magnetic stimulation of the medial prefrontal cortex for psychiatric disorders: a systematic review. *Brazilian Journal of Psychiatry* **41**:5, 447-457. [\[Crossref\]](#)
61. Ángela Palao Tarrero, Marta Torrijos Zarcero, Ainoa Muñoz-SanJose, Cristina Rocamora González, Maria Paz Vidal-Villegas, Roberto Mediavilla, Beatriz Rodríguez Vega. 2019. Compassion in the Treatment for Chronic Pain: an Ethical Imperative with Neurobiological Effects. *Mindfulness* **10**:10, 2204-2205. [\[Crossref\]](#)
62. Edward A. Vessel, Ayse Ilkay Isik, Amy M. Belfi, Jonathan L. Stahl, G. Gabrielle Starr. 2019. The default-mode network represents aesthetic appeal that generalizes across visual domains. *Proceedings of the National Academy of Sciences* **116**:38, 19155-19164. [\[Crossref\]](#)
63. Perrine Ferré, Yassine Benhajali, Jason Steffener, Yaakov Stern, Yves Joanette, Pierre Bellec. 2019. Resting-state and vocabulary tasks distinctively inform on age-related differences in the functional brain connectome. *Language, Cognition and Neuroscience* **34**:8, 949-972. [\[Crossref\]](#)

64. Stavros Skouras, Frank Scharnowski. 2019. The effects of psychiatric history and age on self-regulation of the default mode network. *NeuroImage* **198**, 150-159. [[Crossref](#)]
65. Christiane S.H. Oedekoven, James L. Keidel, Stuart Anderson, Angus Nisbet, Chris M. Bird. 2019. Effects of amnesia on processing in the hippocampus and default mode network during a naturalistic memory task: A case study. *Neuropsychologia* **132**, 107104. [[Crossref](#)]
66. Katya Krieger-Redwood, Hao-Ting Wang, Giulia Poerio, Léa M. Martinon, Leigh M. Riby, Jonathan Smallwood, Elizabeth Jefferies. 2019. Reduced semantic control in older adults is linked to intrinsic DMN connectivity. *Neuropsychologia* **132**, 107133. [[Crossref](#)]
67. Lydia Dubourg, Pascal Vrticka, Virginie Pouillard, Stephan Eliez, Maude Schneider. 2019. Divergent default mode network connectivity during social perception in 22q11.2 deletion syndrome. *Psychiatry Research: Neuroimaging* **291**, 9-17. [[Crossref](#)]
68. Christopher J. Hammond, Aliyah Allick, Naisa Rahman, Julie Nanavati. 2019. Structural and Functional Neural Targets of Addiction Treatment in Adolescents and Young Adults: A Systematic Review and Meta-Analysis. *Journal of Child and Adolescent Psychopharmacology* **29**:7, 498-507. [[Crossref](#)]
69. Meghan L. Meyer. 2019. Social by Default: Characterizing the Social Functions of the Resting Brain. *Current Directions in Psychological Science* **28**:4, 380-386. [[Crossref](#)]
70. Lorenzo Mancuso. 2019. Il Default Mode Network: la scoperta, la struttura, le proposte teoriche. *RICERCHE DI PSICOLOGIA* **2**, 175-219. [[Crossref](#)]
71. Tammi R A Kral, Ted Imhoff-Smith, Douglas C Dean, Dan Grupe, Nagesh Adluru, Elena Patsenko, Jeanette A Mumford, Robin Goldman, Melissa A Rosenkranz, Richard J Davidson. 2019. Mindfulness-Based Stress Reduction-related changes in posterior cingulate resting brain connectivity. *Social Cognitive and Affective Neuroscience* **14**:7, 777-787. [[Crossref](#)]
72. Aidas Aglinskas, Scott L Fairhall. 2019. Regional Specialization and Coordination Within the Network for Perceiving and Knowing About Others. *Cerebral Cortex* **12**. . [[Crossref](#)]
73. Mary Helen Immordino-Yang, Linda Darling-Hammond, Christina R. Krone. 2019. Nurturing Nature: How Brain Development Is Inherently Social and Emotional, and What This Means for Education. *Educational Psychologist* **54**:3, 185-204. [[Crossref](#)]
74. Lucie Bréchet, Denis Brunet, Gwénaél Birot, Rolf Gruetter, Christoph M. Michel, João Jorge. 2019. Capturing the spatiotemporal dynamics of self-generated, task-initiated thoughts with EEG and fMRI. *NeuroImage* **194**, 82-92. [[Crossref](#)]
75. Casey Paquola, Reinder Vos De Wael, Konrad Wagstyl, Richard A. I. Bethlehem, Seok-Jun Hong, Jakob Seidlitz, Edward T. Bullmore, Alan C. Evans, Bratislav Misic, Daniel S. Margulies, Jonathan Smallwood, Boris C. Bernhardt. 2019. Microstructural and functional gradients are increasingly dissociated in transmodal cortices. *PLOS Biology* **17**:5, e3000284. [[Crossref](#)]
76. Matthew S. Karafin, Guangyu Chen, Nancy J. Wandersee, Amanda M. Brandow, Robert W. Hurley, Pippa Simpson, Doug Ward, Shi-Jiang Li, Joshua J. Field. 2019. Chronic pain in adults with sickle cell disease is associated with alterations in functional connectivity of the brain. *PLOS ONE* **14**:5, e0216994. [[Crossref](#)]
77. Junghee Lee, Amy M. Jimenez, William P. Horan, Michael F. Green. 2019. fMRI biomarkers of social cognitive skills training in psychosis: Extrinsic and intrinsic functional connectivity. *PLOS ONE* **14**:5, e0214303. [[Crossref](#)]
78. Léa M. Martinon, Jonathan Smallwood, Deborah McGann, Colin Hamilton, Leigh M. Riby. 2019. The disentanglement of the neural and experiential complexity of self-generated thoughts: A users guide to combining experience sampling with neuroimaging data. *NeuroImage* **192**, 15-25. [[Crossref](#)]
79. Meghan L Meyer, Lila Davachi, Kevin N Ochsner, Matthew D Lieberman. 2019. Evidence That Default Network Connectivity During Rest Consolidates Social Information. *Cerebral Cortex* **29**:5, 1910-1920. [[Crossref](#)]
80. Shogo Kajimura, Takanori Kochiyama, Nobuhito Abe, Michio Nomura. 2019. Challenge to Unity: Relationship Between Hemispheric Asymmetry of the Default Mode Network and Mind Wandering. *Cerebral Cortex* **29**:5, 2061-2071. [[Crossref](#)]
81. Colleen Hughes, Brittany S. Cassidy, Joshua Faskowitz, Andrea Avena-Koenigsberger, Olaf Sporns, Anne C. Krendl. 2019. Age differences in specific neural connections within the Default Mode Network underlie theory of mind. *NeuroImage* **191**, 269-277. [[Crossref](#)]
82. Rebecca J. M. Gotlieb, Elizabeth Hyde, Mary Helen Immordino-Yang, Scott Barry Kaufman. Imagination Is the Seed of Creativity 709-731. [[Crossref](#)]
83. Hiroki Nakata, Ryo Domoto, Nobuaki Mizuguchi, Kiwako Sakamoto, Kazuyuki Kanosue. 2019. Negative BOLD responses during hand and foot movements: An fMRI study. *PLOS ONE* **14**:4, e0215736. [[Crossref](#)]
84. Josef G. Bäuml, Nicole Baumann, Mihai Avram, Satja Mulej Bratec, Linda Breeman, Maria Berndt, Ayten Bilgin, Julia Jaekel, Dieter Wolke, Christian Sorg. 2019. The Default Mode Network Mediates the Impact of Infant Regulatory Problems on Adult Avoidant Personality Traits. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* **4**:4, 333-342. [[Crossref](#)]

85. Norberto Eiji Nawa, Hiroshi Ando. 2019. Effective connectivity within the ventromedial prefrontal cortex-hippocampus-amygdala network during the elaboration of emotional autobiographical memories. *NeuroImage* **189**, 316-328. [[Crossref](#)]
86. Shoji Tanaka, Eiji Kirino. 2019. Increased Functional Connectivity of the Angular Gyrus During Imagined Music Performance. *Frontiers in Human Neuroscience* **13**. . [[Crossref](#)]
87. Lucie Br chet, Robin Mange, Bruno Herbelin, Quentin Theillaud, Baptiste Gauthier, Andrea Serino, Olaf Blanke. 2019. First-person view of one's body in immersive virtual reality: Influence on episodic memory. *PLOS ONE* **14**:3, e0197763. [[Crossref](#)]
88. Xiaonan Guo, Xujun Duan, John Suckling, Heng Chen, Wei Liao, Qian Cui, HuaFu Chen. 2019. Partially impaired functional connectivity states between right anterior insula and default mode network in autism spectrum disorder. *Human Brain Mapping* **40**:4, 1264-1275. [[Crossref](#)]
89. Lachlan Kent, George Van Doorn, Britt Klein. 2019. Time dilation and acceleration in depression. *Acta Psychologica* **194**, 77-86. [[Crossref](#)]
90. L. Marsh, T Edgington, MA Conway, C Loveday. 2019. Positivity bias in past and future episodic thinking: Relationship with anxiety, depression, and retrieval-induced forgetting. *Quarterly Journal of Experimental Psychology* **72**:3, 508-522. [[Crossref](#)]
91. Steven Brown, Peter Cockett, Ye Yuan. 2019. The neuroscience of Romeo and Juliet : an fMRI study of acting. *Royal Society Open Science* **6**:3, 181908. [[Crossref](#)]
92. Amy M. Belfi, Edward A. Vessel, Aenne Briemann, Ayse Ilkay Isik, Anjan Chatterjee, Helmut Leder, Denis G. Pelli, G. Gabrielle Starr. 2019. Dynamics of aesthetic experience are reflected in the default-mode network. *NeuroImage* **188**, 584-597. [[Crossref](#)]
93. Diankun Gong, Weiyi Ma, Tiejun Liu, Yuening Yan, Dezhong Yao. 2019. Electronic-Sports Experience Related to Functional Enhancement in Central Executive and Default Mode Areas. *Neural Plasticity* **2019**, 1-7. [[Crossref](#)]
94. Paola Fuentes-Claramonte, Marta Mart n-Subero, Pilar Salgado-Pineda, Silvia Alonso-Lana, Ana Moreno-Alc zar, Isabel Argila-Plaza, Aniol Santo-Angles, Anton Albajes-Eizagirre, Maria Anguera-Cam s, Antoni Capdevila, Salvador Sarr , Peter J. McKenna, Edith Pomarol-Clotet, Raymond Salvador. 2019. Shared and differential default-mode related patterns of activity in an autobiographical, a self-referential and an attentional task. *PLOS ONE* **14**:1, e0209376. [[Crossref](#)]
95. Alexandra Touroutoglou, Bradford C. Dickerson. Cingulate-centered large-scale networks: Normal functions, aging, and neurodegenerative disease 113-127. [[Crossref](#)]
96. Ali Oker, Sarah Del Goletto, Alice Vignes, Christine Passerieux, Paul Roux, Eric-Brunet Gouet. 2019. Schizophrenia patients are impaired in recognition task but more for intentionality than physical causality. *Consciousness and Cognition* **67**, 98-107. [[Crossref](#)]
97. Michael B. Gascoigne, Mary Lou Smith, Belinda Barton, Richard Webster, Deepak Gill, Suncica Lah. 2019. Accelerated long-term forgetting and behavioural difficulties in children with epilepsy. *Cortex* **110**, 92-100. [[Crossref](#)]
98. P. Fuentes-Claramonte, A. Santo-Angles, M. Lechon, I. Argila-Plaza, A. Nieto-Martinez, P. Salgado-Pineda, A. Albacete, M. Martin, S. Aguilar, N. Ramiro, F. Portillo, C. Sarri, L. Salo, C. Bosque, P. Rodrigues, L. Torres, S. Sarr , R. Salvador, P.J. McKenna, E. Pomarol-Clotet. 2019. Exploring the brain correlates of ideas of reference with a virtual reality paradigm in fMRI. *European Neuropsychopharmacology* **29**, S408-S409. [[Crossref](#)]
99. Adam Turnbull, Hao-Ting Wang, Jonathan W. Schooler, Elizabeth Jefferies, Daniel S. Margulies, Jonathan Smallwood. 2019. The ebb and flow of attention: Between-subject variation in intrinsic connectivity and cognition associated with the dynamics of ongoing experience. *NeuroImage* **185**, 286-299. [[Crossref](#)]
100. Fadel Zeidan, Jennifer N. Baumgartner, Robert C. Coghill. 2019. The neural mechanisms of mindfulness-based pain relief. *PAIN Reports* **4**:4, e759. [[Crossref](#)]
101. Naoyuki OSAKA. 2019. Self and Others Represented in the Social Brain. *Transactions of the Japan Academy* **73**:2, 57-81. [[Crossref](#)]
102. Scott Tillem, Keith Harenski, Carla Harenski, Jean Decety, David Kosson, Kent A. Kiehl, Arielle Baskin-Sommers. 2019. Psychopathy is associated with shifts in the organization of neural networks in a large incarcerated male sample. *NeuroImage: Clinical* **24**, 102083. [[Crossref](#)]
103. Yujun Gao, Menglin Wang, RenQiang Yu, Yaping Li, Ying Yang, Xiangxiang Cui, Jinou Zheng. 2018. Abnormal Default Mode Network Homogeneity in Treatment-Naive Patients With First-Episode Depression. *Frontiers in Psychiatry* **9**. . [[Crossref](#)]
104. Corinna Pehrs, Jamil Zaki, Liila Taruffi, Lars Kuchinke, Stefan Koelsch. 2018. Hippocampal-Temporopolar Connectivity Contributes to Episodic Simulation During Social Cognition. *Scientific Reports* **8**:1. . [[Crossref](#)]
105. Fadel Zeidan, Tim Salomons, Suzan R. Farris, Nichole M. Emerson, Adrienne Adler-Neal, Youngkyoo Jung, Robert C. Coghill. 2018. Neural mechanisms supporting the relationship between dispositional mindfulness and pain. *PAIN* **159**:12, 2477-2485. [[Crossref](#)]

106. Naoki Tani, Takahide Yaegaki, Akio Nishino, Kenta Fujimoto, Hiroyuki Hashimoto, Kaoru Horiuchi, Mitsuhsa Nishiguchi, Haruhiko Kishima. 2018. Functional connectivity analysis and prediction of cognitive change after carotid artery stenting. *Journal of Neurosurgery* **64**, 1-7. [[Crossref](#)]
107. Mark Wade, Heather Prime, Jennifer M. Jenkins, Keith O. Yeates, Tricia Williams, Kang Lee. 2018. On the relation between theory of mind and executive functioning: A developmental cognitive neuroscience perspective. *Psychonomic Bulletin & Review* **25**:6, 2119-2140. [[Crossref](#)]
108. Vishnu Sreekumar, Dylan M. Nielson, Troy A. Smith, Simon J. Dennis, Per B. Sederberg. 2018. The experience of vivid autobiographical reminiscence is supported by subjective content representations in the precuneus. *Scientific Reports* **8**:1. . [[Crossref](#)]
109. Ethan M. McCormick, Eva H. Telzer. 2018. Contributions of default mode network stability and deactivation to adolescent task engagement. *Scientific Reports* **8**:1. . [[Crossref](#)]
110. Lee Simon-Vermot, Alexander N. W. Taylor, Miguel À. Araque Caballero, Nicolai Franzmeier, Katharina Buerger, Cihan Catak, Daniel Janowitz, Lana M. Kambeitz-Ilanovic, Birgit Ertl-Wagner, Marco Duering, Michael Ewers. 2018. Correspondence Between Resting-State and Episodic Memory-Task Related Networks in Elderly Subjects. *Frontiers in Aging Neuroscience* **10**. . [[Crossref](#)]
111. Yong-Chun Bahk, Kee-Hong Choi. 2018. The relationship between autobiographical memory, cognition, and emotion in older adults: a review. *Aging, Neuropsychology, and Cognition* **25**:6, 874-892. [[Crossref](#)]
112. Ben Eppinger, Hauke R Heekeren, Shu-Chen Li. 2018. Age Differences in the Neural Mechanisms of Intertemporal Choice Under Subjective Decision Conflict. *Cerebral Cortex* **28**:11, 3764-3774. [[Crossref](#)]
113. Huihui Qi, Hao Liu, Haimeng Hu, Huijin He, Xiaohu Zhao. 2018. Primary Disruption of the Memory-Related Subsystems of the Default Mode Network in Alzheimer's Disease: Resting-State Functional Connectivity MRI Study. *Frontiers in Aging Neuroscience* **10**. . [[Crossref](#)]
114. Melanie J. Sekeres, Gordon Winocur, Morris Moscovitch, John A. E. Anderson, Sara Pishdadian, J. Martin Wojtowicz, Marie St-Laurent, Mary Pat McAndrews, Cheryl L. Grady. 2018. Changes in patterns of neural activity underlie a time-dependent transformation of memory in rats and humans. *Hippocampus* **28**:10, 745-764. [[Crossref](#)]
115. Nabila Brihmat, Mohamed Tarri, Yann Quidé, Ketty Anglio, Bernard Pavard, Evelyne Castel-Lacanal, David Gasq, Xavier De Boissezon, Philippe Marque, Isabelle Loubinoux. 2018. Action, observation or imitation of virtual hand movement affect differently regions of the mirror neuron system and the default mode network. *Brain Imaging and Behavior* **12**:5, 1363-1378. [[Crossref](#)]
116. Xueyi Shen, Simon R. Cox, Mark J. Adams, David M. Howard, Stephen M. Lawrie, Stuart J. Ritchie, Mark E. Bastin, Ian J. Deary, Andrew M. McIntosh, Heather C. Whalley. 2018. Resting-State Connectivity and Its Association With Cognitive Performance, Educational Attainment, and Household Income in the UK Biobank. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* **3**:10, 878-886. [[Crossref](#)]
117. Federico Cavanna, Martina G. Vilas, Matias Palmucci, Enzo Tagliazucchi. 2018. Dynamic functional connectivity and brain metastability during altered states of consciousness. *NeuroImage* **180**, 383-395. [[Crossref](#)]
118. Xiao-Fei Yang, Gabriela Pavarini, Simone Schnall, Mary Helen Immordino-Yang. 2018. Looking up to virtue: averting gaze facilitates moral construals via posteromedial activations. *Social Cognitive and Affective Neuroscience* **65**. . [[Crossref](#)]
119. Elisa Ciamarelli, Silvia Spoglianti, Elena Bertossi, Nadia Generali, Francesca Telarucci, Raffaella Tancredi, Filippo Muratori, Roberta Igliozzi. 2018. Construction of Past and Future Events in Children and Adolescents with ASD: Role of Self-relatedness and Relevance to Decision-Making. *Journal of Autism and Developmental Disorders* **48**:9, 2995-3009. [[Crossref](#)]
120. Scott Tillem, Josanne van Dongen, Inti A. Brazil, Arielle Baskin-Sommers. 2018. Psychopathic traits are differentially associated with efficiency of neural communication. *Psychophysiology* **55**:9, e13194. [[Crossref](#)]
121. Nuria K. Mackes, Dennis Golm, Owen G. O'Daly, Sagari Sarkar, Edmund J.S. Sonuga-Barke, Graeme Fairchild, Mitul A. Mehta. 2018. Tracking emotions in the brain – Revisiting the Empathic Accuracy Task. *NeuroImage* **178**, 677-686. [[Crossref](#)]
122. Natasha Parikh, Luka Ruzic, Gregory W. Stewart, R. Nathan Spreng, Felipe De Brigard. 2018. What if? Neural activity underlying semantic and episodic counterfactual thinking. *NeuroImage* **178**, 332-345. [[Crossref](#)]
123. Joachim Kepler. 2018. The Role of the Brain in Conscious Processes: A New Way of Looking at the Neural Correlates of Consciousness. *Frontiers in Psychology* **9**. . [[Crossref](#)]
124. Ke Jiang, Shi Wu, Zhenhao Shi, Mingyan Liu, Maoying Peng, Yang Shen, Juan Yang. 2018. Activations of the dorsolateral prefrontal cortex and thalamus during agentic self-evaluation are negatively associated with trait self-esteem. *Brain Research* **1692**, 134-141. [[Crossref](#)]

125. Taylor Bolt, Jason S. Nomi, Shruti G. Vij, Catie Chang, Lucina Q. Uddin. 2018. Inter-subject phase synchronization for exploratory analysis of task-fMRI. *NeuroImage* **176**, 477-488. [[Crossref](#)]
126. Carlos González-García, Matthew W Flounders, Raymond Chang, Alexis T Baria, Biyu J He. 2018. Content-specific activity in frontoparietal and default-mode networks during prior-guided visual perception. *eLife* **7**. . [[Crossref](#)]
127. Yulin Zhang, Bo Miao, Junling Guan, Qingfang Meng. Fractional amplitude of low-frequency fluctuation and degree centrality in autistic children: a resting-state fMRI study **6**. [[Crossref](#)]
128. Donna Rose Addis. 2018. Are episodic memories special? On the sameness of remembered and imagined event simulation. *Journal of the Royal Society of New Zealand* **48**:2-3, 64-88. [[Crossref](#)]
129. Pia Tikka, Janne Kauttonen, Yevhen Hlushchuk. 2018. Narrative comprehension beyond language: Common brain networks activated by a movie and its script. *PLOS ONE* **13**:7, e0200134. [[Crossref](#)]
130. Jessica Robin. 2018. Spatial scaffold effects in event memory and imagination. *Wiley Interdisciplinary Reviews: Cognitive Science* **9**:4, e1462. [[Crossref](#)]
131. Daniel Ruivo Marques, Ana Allen Gomes, Vanda Clemente, José Moutinho dos Santos, Isabel Catarina Duarte, Gina Caetano, Miguel Castelo-Branco. 2018. Self-Referential Dysfunction and Default-Mode Hyperactivation in Psychophysiological Insomnia Patients. *Journal of Psychophysiology* **32**:3, 140-155. [[Crossref](#)]
132. Ruedeerat Keerativittayayut, Ryuta Aoki, Mitra Taghizadeh Sarabi, Koji Jimura, Kiyoshi Nakahara. 2018. Large-scale network integration in the human brain tracks temporal fluctuations in memory encoding performance. *eLife* **7**. . [[Crossref](#)]
133. S. Puig-Perez, M.M. Pulpulos, V. Hidalgo, A. Salvador. 2018. Being an optimist or a pessimist and its relationship with morning cortisol release and past life review in healthy older people. *Psychology & Health* **33**:6, 783-799. [[Crossref](#)]
134. Xu Xu, Chunyan Kang, David Pascucci, Taomei Guo. 2018. The relationship between semantic access and introspective awareness. *Brain and Cognition* **123**, 47-56. [[Crossref](#)]
135. Rocco Chiou, Gina F. Humphreys, JeYoung Jung, Matthew A. Lambon Ralph. 2018. Controlled semantic cognition relies upon dynamic and flexible interactions between the executive 'semantic control' and hub-and-spoke 'semantic representation' systems. *Cortex* **103**, 100-116. [[Crossref](#)]
136. Majse Lind, Dorthe Kirkegaard Thomsen. 2018. Functions of personal and vicarious life stories: identity and empathy. *Memory* **26**:5, 672-682. [[Crossref](#)]
137. Meghan L. Meyer, Matthew D. Lieberman. 2018. Why People Are Always Thinking about Themselves: Medial Prefrontal Cortex Activity during Rest Primes Self-referential Processing. *Journal of Cognitive Neuroscience* **30**:5, 714-721. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
138. Michael M. Craig, Anne E. Manktelow, Barbara J. Sahakian, David K. Menon, Emmanuel A. Stamatakis. 2018. Spectral Diversity in Default Mode Network Connectivity Reflects Behavioral State. *Journal of Cognitive Neuroscience* **30**:4, 526-539. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
139. Sara B. Pillay, William L. Gross, William W. Graves, Colin Humphries, Diane S. Book, Jeffrey R. Binder. 2018. The Neural Basis of Successful Word Reading in Aphasia. *Journal of Cognitive Neuroscience* **30**:4, 514-525. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
140. Chao Zhang, Chase C. Dougherty, Stefi A. Baum, Tonya White, Andrew M. Michael. 2018. Functional connectivity predicts gender: Evidence for gender differences in resting brain connectivity. *Human Brain Mapping* **39**:4, 1765-1776. [[Crossref](#)]
141. Peter W. Fettes, Massieh Moayed, Katharine Dunlop, Farrokh Mansouri, Fidel Vila-Rodriguez, Peter Giacobbe, Karen D. Davis, Raymond W. Lam, Sidney H. Kennedy, Zafiris J. Daskalakis, Daniel M. Blumberger, Jonathan Downar. 2018. Abnormal Functional Connectivity of Frontopolar Subregions in Treatment-Nonresponsive Major Depressive Disorder. *Biological Psychiatry: Cognitive Neuroscience and Neuroimaging* **3**:4, 337-347. [[Crossref](#)]
142. Feng Kong, Qiaolin He, Xiqin Liu, Xiayu Chen, Xu Wang, Jingjing Zhao. 2018. Amplitude of Low-Frequency Fluctuations During Resting State Differentially Predicts Authentic and Hubristic Pride. *Journal of Personality* **86**:2, 213-219. [[Crossref](#)]
143. Signy Sheldon, Nicholas B. Diamond, Michael J. Armon, Daniela J. Palombo, Dhawal Selarka, Kristoffer Romero, Agnes Bacopulos, Brian Levine. Assessing Autobiographical Memory 1-34. [[Crossref](#)]
144. Xing Zhang, Guangming Ran, Wenjian Xu, Yuanxiao Ma, Xu Chen. 2018. Adult Attachment Affects Neural Response to Preference-Infering in Ambiguous Scenarios: Evidence From an fMRI Study. *Frontiers in Psychology* **9**. . [[Crossref](#)]
145. Rong Li, Wei Liao, Yangyang Yu, Heng Chen, Xiaonan Guo, Ye-Lei Tang, Huaifu Chen. 2018. Differential patterns of dynamic functional connectivity variability of striato-cortical circuitry in children with benign epilepsy with centrotemporal spikes. *Human Brain Mapping* **39**:3, 1207-1217. [[Crossref](#)]
146. Andrew P. Allen, Caoilainn Doyle, Seán Commins, Richard A.P. Roche. 2018. Autobiographical memory, the ageing brain and mechanisms of psychological interventions. *Ageing Research Reviews* **42**, 100-111. [[Crossref](#)]

147. Rachel L. Moseley, Friedemann Pulvermüller. 2018. What can autism teach us about the role of sensorimotor systems in higher cognition? New clues from studies on language, action semantics, and abstract emotional concept processing. *Cortex* **100**, 149–190. [[Crossref](#)]
148. Soo-Eun Chang, Michael Angstadt, Ho Ming Chow, Andrew C. Etchell, Emily O. Garnett, Ai Leen Choo, Daniel Kessler, Robert C. Welsh, Chandra Sripada. 2018. Anomalous network architecture of the resting brain in children who stutter. *Journal of Fluency Disorders* **55**, 46–67. [[Crossref](#)]
149. Sarah M Tashjian, Diane Goldenberg, Martin M Monti, Adriana Galván. 2018. Sleep quality and adolescent default mode network connectivity. *Social Cognitive and Affective Neuroscience* **13**:3, 290–299. [[Crossref](#)]
150. Tien-Wen Lee, Shao-Wei Xue. 2018. Functional connectivity maps based on hippocampal and thalamic dynamics may account for the default-mode network. *European Journal of Neuroscience* **47**:5, 388–398. [[Crossref](#)]
151. Andrew C. McKinnon, Ian B. Hickie, Jan Scott, Shantel L. Duffy, Louisa Norrie, Zoe Terpening, Ron R. Grunstein, Jim Lagopoulos, Jennifer Batchelor, Simon J.G. Lewis, James M. Shine, Sharon L. Naismith. 2018. Current sleep disturbance in older people with a lifetime history of depression is associated with increased connectivity in the Default Mode Network. *Journal of Affective Disorders* **229**, 85–94. [[Crossref](#)]
152. Sharon L. Naismith, Loren Mowszowski. 2018. Sleep disturbance in mild cognitive impairment. *Current Opinion in Psychiatry* **31**:2, 153–159. [[Crossref](#)]
153. Roey Schurr, Mor Nitzan, Ruth Eliahou, Laurent Spinelli, Margitta Seeck, Olaf Blanke, Shahar Arzy. 2018. Temporal Dissociation of Neocortical and Hippocampal Contributions to Mental Time Travel Using Intracranial Recordings in Humans. *Frontiers in Computational Neuroscience* **12**. . [[Crossref](#)]
154. Monika Sommer, Katrin Döhnell, Irina Jarvers, Lore Blaas, Manuela Singer, Victoria Nöth, Tobias Schuwerk, Rainer Rupprecht. 2018. False Belief Reasoning in Adults with and without Autistic Spectrum Disorder: Similarities and Differences. *Frontiers in Psychology* **9**. . [[Crossref](#)]
155. Cory S. Inman, G. Andrew James, Katherine Vytal, Stephan Hamann. 2018. Dynamic changes in large-scale functional network organization during autobiographical memory retrieval. *Neuropsychologia* **110**, 208–224. [[Crossref](#)]
156. Borja Estes Orduña, Raquel Seijas Gómez, Elena García Esparza, Emily M. Briceño, Javier Melero Llorente, María de la Concepción Fournier Del Castillo. 2018. Neuropsychological profile and social cognition in congenital central hypoventilation syndrome (CCHS): Correlation with neuroimaging in a clinical case. *Journal of Clinical and Experimental Neuropsychology* **40**:1, 75–83. [[Crossref](#)]
157. Corinna M. Perchtold, Ilona Papousek, Karl Koschutnig, Christian Rominger, Hannelore Weber, Elisabeth M. Weiss, Andreas Fink. 2018. Affective creativity meets classic creativity in the scanner. *Human Brain Mapping* **39**:1, 393–406. [[Crossref](#)]
158. Brian Boyd. 2018. The evolution of stories: from mimesis to language, from fact to fiction. *Wiley Interdisciplinary Reviews: Cognitive Science* **9**:1, e1444. [[Crossref](#)]
159. Henryk Bukowski, Claus Lamm. Superior Temporal Sulcus 1–5. [[Crossref](#)]
160. Ben Polakoff, Elaine Clark. Social Awareness 3206–3207. [[Crossref](#)]
161. Mary-Frances O'Connor, Mairead H. McConnell. Grief Reactions: A Neurobiological Approach 45–62. [[Crossref](#)]
162. Francesca Citron, Emmanouil A. Zervos. A Neuroimaging Investigation into Figurative Language and Aesthetic Perception 77–94. [[Crossref](#)]
163. Z. Alshelh, K.K. Marciszewski, R. Akhter, F. Di Pietro, E.P. Mills, E.R. Vickers, C.C. Peck, G.M. Murray, L.A. Henderson. 2018. Disruption of default mode network dynamics in acute and chronic pain states. *NeuroImage: Clinical* **17**, 222–231. [[Crossref](#)]
164. Federica Vellante, Fabiola Sarchione, Sjoerd J.H. Ebisch, Anatolia Salone, Laura Orsolini, Stefano Marini, Alessandro Valchera, Michele Fornaro, Alessandro Carano, Felice Iasevoli, Giovanni Martinotti, Domenico De Berardis, Massimo Di Giannantonio. 2018. Creativity and psychiatric illness: A functional perspective beyond chaos. *Progress in Neuro-Psychopharmacology and Biological Psychiatry* **80**, 91–100. [[Crossref](#)]
165. Vyacheslav R. Karolis, Sean Froudust-Walsh, Jasmin Kroll, Philip J. Brittain, Chieh-En Jane Tseng, Kie-Woo Nam, Antje A.T.S. Reinders, Robin M. Murray, Steven C.R. Williams, Paul M. Thompson, Chiara Nosarti. 2017. Volumetric grey matter alterations in adolescents and adults born very preterm suggest accelerated brain maturation. *NeuroImage* **163**, 379–389. [[Crossref](#)]
166. Vadim Axelrod, Geraint Rees, Moshe Bar. 2017. The default network and the combination of cognitive processes that mediate self-generated thought. *Nature Human Behaviour* **1**:12, 896–910. [[Crossref](#)]
167. Paul E. Stillman, James D. Wilson, Matthew J. Denny, Bruce A. Desmarais, Shankar Bhamidi, Skyler J. Cranmer, Zhong-Lin Lu. 2017. Statistical Modeling of the Default Mode Brain Network Reveals a Segregated Highway Structure. *Scientific Reports* **7**:1. . [[Crossref](#)]

168. Mihai Dricu, Leonardo Ceravolo, Didier Grandjean, Sascha Frühholz. 2017. Biased and unbiased perceptual decision-making on vocal emotions. *Scientific Reports* 7:1. . [[Crossref](#)]
169. Angela Fenoglio, Michael K. Georgieff, Jed T. Elison. 2017. Social brain circuitry and social cognition in infants born preterm. *Journal of Neurodevelopmental Disorders* 9:1. . [[Crossref](#)]
170. Yann Quidé, Xin H. Ong, Sebastian Mohnke, Knut Schnell, Henrik Walter, Vaughan J. Carr, Melissa J. Green. 2017. Childhood trauma-related alterations in brain function during a Theory-of-Mind task in schizophrenia. *Schizophrenia Research* 189, 162-168. [[Crossref](#)]
171. Katharina Brueggen, Carmen Fiala, Christoph Berger, Sina Ochmann, Claudio Babiloni, Stefan J. Teipel. 2017. Early Changes in Alpha Band Power and DMN BOLD Activity in Alzheimer's Disease: A Simultaneous Resting State EEG-fMRI Study. *Frontiers in Aging Neuroscience* 9. . [[Crossref](#)]
172. Enzo Tagliazucchi, Eus J.W. van Someren. 2017. The large-scale functional connectivity correlates of consciousness and arousal during the healthy and pathological human sleep cycle. *NeuroImage* 160, 55-72. [[Crossref](#)]
173. Gladys Barragan-Jason, Cristina M. Atance. 2017. A new approach to measuring patience in preschoolers. *Developmental Psychobiology* 59:6, 738-748. [[Crossref](#)]
174. Chris Letheby. 2017. NATURALIZING PSYCHEDELIC SPIRITUALITY. *Zygon®* 52:3, 623-642. [[Crossref](#)]
175. Nicolai Franzmeier, Jens Göttler, Timo Grimmer, Alexander Drzezga, Miguel A. Áraque-Caballero, Lee Simon-Vermot, Alexander N. W. Taylor, Katharina Bürger, Cihan Catak, Daniel Janowitz, Claudia Müller, Marco Duering, Christian Sorg, Michael Ewers. 2017. Resting-State Connectivity of the Left Frontal Cortex to the Default Mode and Dorsal Attention Network Supports Reserve in Mild Cognitive Impairment. *Frontiers in Aging Neuroscience* 9. . [[Crossref](#)]
176. Deanne L. Westerman, Jeremy K. Miller, Marianne E. Lloyd. 2017. Revelation effects in remembering, forecasting, and perspective taking. *Memory & Cognition* 45:6, 1002-1013. [[Crossref](#)]
177. David A. Waldman, Danni Wang, Sean T. Hannah, Pierre A. Balthazard. 2017. A Neurological and Ideological Perspective of Ethical Leadership. *Academy of Management Journal* 60:4, 1285-1306. [[Crossref](#)]
178. Shoshana N. Jarvis, Jeremy K. Miller. 2017. Self-projection in younger and older adults: a study of episodic memory, prospection, and theory of mind. *Aging, Neuropsychology, and Cognition* 24:4, 387-407. [[Crossref](#)]
179. Danielle R. Miller, Mark W. Logue, Erika J. Wolf, Hannah Maniates, Meghan E. Robinson, Jasmeet P. Hayes, Annjanette Stone, Steven Schichman, Regina E. McGlinchey, William P. Milberg, Mark W. Miller. 2017. Posttraumatic stress disorder symptom severity is associated with reduced default mode network connectivity in individuals with elevated genetic risk for psychopathology. *Depression and Anxiety* 34:7, 632-640. [[Crossref](#)]
180. Eleonora Viganò. 2017. Adam Smith's Theory of Prudence Updated with Neuroscientific and Behavioral Evidence. *Neuroethics* 10:2, 215-233. [[Crossref](#)]
181. Seung-Gul Kang, Kyoung-Sae Na, Jae-Won Choi, Jeong-Hee Kim, Young-Don Son, Yu Jin Lee. 2017. Resting-state functional connectivity of the amygdala in suicide attempters with major depressive disorder. *Progress in Neuro-Psychopharmacology and Biological Psychiatry* 77, 222-227. [[Crossref](#)]
182. Adam J. Krause, Eti Ben Simon, Bryce A. Mander, Stephanie M. Greer, Jared M. Saletin, Andrea N. Goldstein-Piekarski, Matthew P. Walker. 2017. The sleep-deprived human brain. *Nature Reviews Neuroscience* 18:7, 404-418. [[Crossref](#)]
183. Gunes Sevinc, Hakan Gurvit, R. Nathan Spreng. 2017. Salience network engagement with the detection of morally laden information. *Social Cognitive and Affective Neuroscience* 12:7, 1118-1127. [[Crossref](#)]
184. Giulia L. Poerio, Mladen Sormaz, Hao-Ting Wang, Daniel Margulies, Elizabeth Jefferies, Jonathan Smallwood. 2017. The role of the default mode network in component processes underlying the wandering mind. *Social Cognitive and Affective Neuroscience* 12:7, 1047-1062. [[Crossref](#)]
185. Andrew Parker, Adam Parkin, Neil Dagnall. 2017. Effects of handedness & saccadic bilateral eye movements on the specificity of past autobiographical memory & episodic future thinking. *Brain and Cognition* 114, 40-51. [[Crossref](#)]
186. Christina G. McDonnell, Kristin Valentino, Joshua John Diehl. 2017. A developmental psychopathology perspective on autobiographical memory in autism spectrum disorder. *Developmental Review* 44, 59-81. [[Crossref](#)]
187. Paul E. Stillman, Hyojin Lee, Xiaoyan Deng, H. Rao Unnava, William A. Cunningham, Kentaro Fujita. 2017. Neurological evidence for the role of construal level in future-directed thought. *Social Cognitive and Affective Neuroscience* 12:6, 937-947. [[Crossref](#)]
188. Elinor Amit, Caitlyn Hoeflin, Nada Hamzah, Evelina Fedorenko. 2017. An asymmetrical relationship between verbal and visual thinking: Converging evidence from behavior and fMRI. *NeuroImage* 152, 619-627. [[Crossref](#)]

189. Andrew A. Fingelkurts, Alexander A. Fingelkurts. 2017. Three-dimensional components of selfhood in treatment-naïve patients with major depressive disorder: A resting-state qEEG imaging study. *Neuropsychologia* **99**, 30-36. [[Crossref](#)]
190. Anna Sontheimer, François Vassal, Betty Jean, Fabien Feschet, Vincent Lubrano, Jean-Jacques Lemaire. 2017. fMRI study of graduated emotional charge for detection of covert activity using passive listening to narratives. *Neuroscience* **349**, 291-302. [[Crossref](#)]
191. Patricia J. Bauer, Thanujeni Pathman, Cory Inman, Carolina Campanella, Stephan Hamann. 2017. Neural correlates of autobiographical memory retrieval in children and adults. *Memory* **25**:4, 450-466. [[Crossref](#)]
192. Yael Schaffer, Bruria Ben Zeev, Roni Cohen, Avinoam Shufer, Ronny Geva. 2017. Memory, Executive Skills, and Psychosocial Phenotype in Children with Pharmacoresponsive Epilepsy: Reactivity to Intervention. *Frontiers in Neurology* **8**. [[Crossref](#)]
193. Hyemin Han. 2017. Neural correlates of moral sensitivity and moral judgment associated with brain circuitries of selfhood: A meta-analysis. *Journal of Moral Education* **46**:2, 97-113. [[Crossref](#)]
194. Michael M. Francis, Tom A. Hummer, Bethany L. Leonhardt, Jenifer L. Vohs, Matt G. Yung, Nicole F. Mehdiyou, Paul H. Lysaker, Alan Breier. 2017. Association of medial prefrontal resting state functional connectivity and metacognitive capacity in early phase psychosis. *Psychiatry Research: Neuroimaging* **262**, 8-14. [[Crossref](#)]
195. Katharine Dunlop, Colleen A. Hanlon, Jonathan Downar. 2017. Noninvasive brain stimulation treatments for addiction and major depression. *Annals of the New York Academy of Sciences* **1394**:1, 31-54. [[Crossref](#)]
196. Kangcheng Wang, Hui Huang, Li Chen, Xin Hou, Yong Zhang, Junyi Yang, Xin Hao, Jiang Qiu. 2017. MRI correlates of interaction between gender and expressive suppression among the Chinese population. *Neuroscience* **347**, 76-84. [[Crossref](#)]
197. Amandine Pelletier, Charlotte Bernard, Bixente Dilharreguy, Catherine Helmer, Melanie Le Goff, Sandra Chanraud, Jean-François Dartigues, Michèle Allard, Hélène Amieva, Gwénaëlle Catheline. 2017. Patterns of brain atrophy associated with episodic memory and semantic fluency decline in aging. *Aging* **9**:3, 741-752. [[Crossref](#)]
198. B. Bellana, Z.-X. Liu, N.B. Diamond, C.L. Grady, M. Moscovitch. 2017. Similarities and differences in the default mode network across rest, retrieval, and future imagining. *Human Brain Mapping* **38**:3, 1155-1171. [[Crossref](#)]
199. Adam Bulley, Julie D. Henry, Thomas Suddendorf. 2017. Thinking about threats: Memory and prospection in human threat management. *Consciousness and Cognition* **49**, 53-69. [[Crossref](#)]
200. Siddharth Ramanan, Leonardo Cruz de Souza, Noémie Moreau, Marie Sarazin, Antônio L. Teixeira, Zoe Allen, Henrique C. Guimarães, Paulo Caramelli, Bruno Dubois, Michael Hornberger, Maxime Bertoux. 2017. Determinants of theory of mind performance in Alzheimer's disease: A data-mining study. *Cortex* **88**, 8-18. [[Crossref](#)]
201. Dhananjaya I. Bhat, B. Indira Devi, Komal Bharti, Rajanikant Panda. 2017. Cortical plasticity after brachial plexus injury and repair: a resting-state functional MRI study. *Neurosurgical Focus* **42**:3, E14. [[Crossref](#)]
202. Genevieve Rayner. 2017. The Contribution of Cognitive Networks to Depression in Epilepsy. *Epilepsy Currents* **17**:2, 78-83. [[Crossref](#)]
203. Andrew C. McKinnon, Shantel L. Duffy, Nathan E. Cross, Zoe Terpening, Ron R. Grunstein, Jim Lagopoulos, Jennifer Batchelor, Ian B. Hickie, Simon J.G. Lewis, James M. Shine, Sharon L. Naismith. 2017. Functional Connectivity in the Default Mode Network is Reduced in Association with Nocturnal Awakening in Mild Cognitive Impairment. *Journal of Alzheimer's Disease* **56**:4, 1373-1384. [[Crossref](#)]
204. Lars Marstaller, Hana Burianová, David C. Reutens. 2017. Adaptive contextualization: A new role for the default mode network in affective learning. *Human Brain Mapping* **38**:2, 1082-1091. [[Crossref](#)]
205. Xiaonan Guo, Heng Chen, Zhiliang Long, Xujun Duan, Youxue Zhang, Huaifu Chen. 2017. Atypical developmental trajectory of local spontaneous brain activity in autism spectrum disorder. *Scientific Reports* **7**:1. [[Crossref](#)]
206. Anna Leshinskaya, Juan Manuel Contreras, Alfonso Caramazza, Jason P. Mitchell. 2017. Neural Representations of Belief Concepts: A Representational Similarity Approach to Social Semantics. *Cerebral Cortex* **25**. [[Crossref](#)]
207. Laurens Van Calster, Arnaud D'Argembeau, Eric Salmon, Frédéric Peters, Steve Majerus. 2017. Fluctuations of Attentional Networks and Default Mode Network during the Resting State Reflect Variations in Cognitive States: Evidence from a Novel Resting-state Experience Sampling Method. *Journal of Cognitive Neuroscience* **29**:1, 95-113. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
208. Anne C. Laurita, R. Nathan Spreng. The Hippocampus and Social Cognition 537-558. [[Crossref](#)]
209. Cheryl L. Grady, Jennifer D. Ryan. Age-Related Differences in the Human Hippocampus: Behavioral, Structural and Functional Measures 167-208. [[Crossref](#)]
210. Ben Polakoff, Elaine Clark. Social Awareness 1-2. [[Crossref](#)]
211. Ken Yaoi, Mariko Osaka, Naoyuki Osaka. Self-Recognition Process in the Human Prefrontal Cortex 187-206. [[Crossref](#)]

212. Hideya Koshino. Coactivation of Default Mode Network and Executive Network Regions in the Human Brain 247-276. [[Crossref](#)]
213. Yukio Maehara. Psychological and Neural Functions of Working Memory in Social Contexts 27-42. [[Crossref](#)]
214. R. Shayna Rosenbaum, Alice S.N. Kim, Stevenson Baker. Episodic and Semantic Memory 87-118. [[Crossref](#)]
215. R.P. Roberts, K. Wiebels, R.L. Sumner, V. van Mulukom, C.L. Grady, D.L. Schacter, D.R. Addis. 2017. An fMRI investigation of the relationship between future imagination and cognitive flexibility. *Neuropsychologia* **95**, 156-172. [[Crossref](#)]
216. Chris Letheby, Philip Gerrans. 2017. Self unbound: ego dissolution in psychedelic experience. *Neuroscience of Consciousness* **2017**:1. . [[Crossref](#)]
217. Sheng Ge, Meng-Yuan Ding, Zheng Zhang, Pan Lin, Jun-Feng Gao, Rui-Min Wang, Gao-Peng Sun, Keiji Iramina, Hui-Hua Deng, Yuan-Kui Yang, Yue Leng. 2017. Temporal-Spatial Features of Intention Understanding Based on EEG-fNIRS Bimodal Measurement. *IEEE Access* **5**, 14245-14258. [[Crossref](#)]
218. S. Bonavita, R. Sacco, S. Esposito, A. d'Ambrosio, M. Della Corte, D. Corbo, R. Docimo, A. Gallo, L. Lavorgna, M. Cirillo, A. Bisecco, F. Esposito, G. Tedeschi. 2017. Default mode network changes in multiple sclerosis: a link between depression and cognitive impairment?. *European Journal of Neurology* **24**:1, 27-36. [[Crossref](#)]
219. Philippe A. Chouinard, Joshua A. Sherman, Amy Siobhan Millard, Irene Sperandio. 2017. Evaluating Bodily Self-Consciousness and the Brain Using Multisensory Perturbation and fMRI. *Multisensory Research* **30**:2, 179-191. [[Crossref](#)]
220. Sandra Cavero, Cristina Madorran. 2017. Emotional Intelligence, Emotions and Decision Making. *SSRN Electronic Journal* . [[Crossref](#)]
221. Katharina Feldker, Carina Yvonne Heitmann, Paula Neumeister, Maximilian Bruchmann, Laura Vibrans, Pienie Zwitserlood, Thomas Straube. 2016. Brain responses to disorder-related visual threat in panic disorder. *Human Brain Mapping* **37**:12, 4439-4453. [[Crossref](#)]
222. Elizabeth DuPre, Wen-Ming Luh, R. Nathan Spreng. 2016. Multi-echo fMRI replication sample of autobiographical memory, prospection and theory of mind reasoning tasks. *Scientific Data* **3**:1. . [[Crossref](#)]
223. Nicola De Pisapia, Francesca Bacci, Danielle Parrott, David Melcher. 2016. Brain networks for visual creativity: a functional connectivity study of planning a visual artwork. *Scientific Reports* **6**:1. . [[Crossref](#)]
224. Johannes H. Scheidemann, Franz Petermann, Marc Schipper. 2016. Are Deficits in Social Cognition Linked to Autobiographical Memory in Patients with Alzheimer's Disease?. *Zeitschrift für Neuropsychologie* **27**:4, 257-264. [[Crossref](#)]
225. Marie St-Laurent, Morris Moscovitch, Mary Pat McAndrews. 2016. The retrieval of perceptual memory details depends on right hippocampal integrity and activation. *Cortex* **84**, 15-33. [[Crossref](#)]
226. Elena Bertossi, Elisa Ciarrelli. 2016. Ventromedial prefrontal damage reduces mind-wandering and biases its temporal focus. *Social Cognitive and Affective Neuroscience* **11**:11, 1783-1791. [[Crossref](#)]
227. Rebekah M Ahmed, Emma M Devenney, Muireann Irish, Arne Ittner, Sharon Naismith, Lars M Ittner, Jonathan D Rohrer, Glenda M Halliday, Andrew Eisen, John R Hodges, Matthew C Kiernan. 2016. Neuronal network disintegration: common pathways linking neurodegenerative diseases. *Journal of Neurology, Neurosurgery & Psychiatry* **87**:11, 1234-1241. [[Crossref](#)]
228. Daniel S. Margulies, Satrajit S. Ghosh, Alexandros Goulas, Marcel Falkiewicz, Julia M. Huntenburg, Georg Langs, Gleb Bezgin, Simon B. Eickhoff, F. Xavier Castellanos, Michael Petrides, Elizabeth Jefferies, Jonathan Smallwood. 2016. Situating the default-mode network along a principal gradient of macroscale cortical organization. *Proceedings of the National Academy of Sciences* **113**:44, 12574-12579. [[Crossref](#)]
229. Jana Speth, Astrid M. Schloerscheidt, Clemens Speth. 2016. As we fall asleep we forget about the future: A quantitative linguistic analysis of mentation reports from hypnagogia. *Consciousness and Cognition* **45**, 235-244. [[Crossref](#)]
230. Francesca M.M. Citron, Jeremie Güsten, Nora Michaelis, Adele E. Goldberg. 2016. Conventional metaphors in longer passages evoke affective brain response. *NeuroImage* **139**, 218-230. [[Crossref](#)]
231. Amber M. Leaver, Randall Espinoza, Shantanu H. Joshi, Megha Vasavada, Stephanie Njau, Roger P. Woods, Katherine L. Narr. 2016. Desynchronization and Plasticity of Striato-frontal Connectivity in Major Depressive Disorder. *Cerebral Cortex* **26**:11, 4337-4346. [[Crossref](#)]
232. Mary Helen Immordino-Yang. 2016. Emotion, Sociality, and the Brain's Default Mode Network. *Policy Insights from the Behavioral and Brain Sciences* **3**:2, 211-219. [[Crossref](#)]
233. Donna Rose Addis, Eleanor E.J. Moloney, Lynette J. Tippett, Reece P. Roberts, Sylvia Hach. 2016. Characterizing cerebellar activity during autobiographical memory retrieval: ALE and functional connectivity investigations. *Neuropsychologia* **90**, 80-93. [[Crossref](#)]
234. Jennifer S. Rabin, Rosanna K. Olsen, Asaf Gilboa, Bradley R. Buchsbaum, R. Shayna Rosenbaum. 2016. Using fMRI to understand event construction in developmental amnesia. *Neuropsychologia* **90**, 261-273. [[Crossref](#)]

235. Rui Yang, Chengge Gao, Xiaoping Wu, Junle Yang, Shengbin Li, Hu Cheng. 2016. Decreased functional connectivity to posterior cingulate cortex in major depressive disorder. *Psychiatry Research: Neuroimaging* **255**, 15-23. [[Crossref](#)]
236. Peter Mende-Siedlecki, Alexander Todorov. 2016. Neural dissociations between meaningful and mere inconsistency in impression updating. *Social Cognitive and Affective Neuroscience* **11**:9, 1489-1500. [[Crossref](#)]
237. Igor Marchetti, Ernst H. W. Koster, Eric Klinger, Lauren B. Alloy. 2016. Spontaneous Thought and Vulnerability to Mood Disorders. *Clinical Psychological Science* **4**:5, 835-857. [[Crossref](#)]
238. Chia-Fen Hsu, Edmund J.S. Sonuga-Barke. 2016. Electrophysiological evidence during episodic prospection implicates medial prefrontal and bilateral middle temporal gyrus. *Brain Research* **1644**, 296-305. [[Crossref](#)]
239. Valentina La Corte, Pascale Piolino. 2016. On the Role of Personal Semantic Memory and Temporal Distance in Episodic Future Thinking: The TEDIFT Model. *Frontiers in Human Neuroscience* **10**. . [[Crossref](#)]
240. Andrew A. Fingelkurts, Alexander A. Fingelkurts, Tarja Kallio-Tamminen. 2016. Trait lasting alteration of the brain default mode network in experienced meditators and the experiential selfhood. *Self and Identity* **15**:4, 381-393. [[Crossref](#)]
241. Feng Bai, Yonggui Yuan, Hui Yu, Zhijun Zhang. 2016. Plastic modulation of episodic memory networks in the aging brain with cognitive decline. *Behavioural Brain Research* **308**, 38-45. [[Crossref](#)]
242. Reece P. Roberts, Sylvia Hach, Lynette J. Tippett, Donna Rose Addis. 2016. The Simpson's paradox and fMRI: Similarities and differences between functional connectivity measures derived from within-subject and across-subject correlations. *NeuroImage* **135**, 1-15. [[Crossref](#)]
243. Francis Eustache, Armelle Viard, Béatrice Desgranges. 2016. The MNESIS model: Memory systems and processes, identity and future thinking. *Neuropsychologia* **87**, 96-109. [[Crossref](#)]
244. Annie Lee, Anqi Qiu. 2016. Modulative effects of COMT haplotype on age-related associations with brain morphology. *Human Brain Mapping* **37**:6, 2068-2082. [[Crossref](#)]
245. Alexandra Ernst, Marion Sourty, Daniel Roquet, Vincent Noblet, Daniel Gounot, Frédéric Blanc, Jérôme De Seze, Liliann Manning. 2016. Functional and structural cerebral changes in key brain regions after a facilitation programme for episodic future thought in relapsing-remitting multiple sclerosis patients. *Brain and Cognition* **105**, 34-45. [[Crossref](#)]
246. Pascal Molenberghs, Halle Johnson, Julie D. Henry, Jason B. Mattingley. 2016. Understanding the minds of others: A neuroimaging meta-analysis. *Neuroscience & Biobehavioral Reviews* **65**, 276-291. [[Crossref](#)]
247. Bojana Kuzmanovic, Anneli Jefferson, Kai Vogeley. 2016. The role of the neural reward circuitry in self-referential optimistic belief updates. *NeuroImage* **133**, 151-162. [[Crossref](#)]
248. Victoria N. Poole, Meghan E. Robinson, Omar Singleton, Joseph DeGutis, William P. Milberg, Regina E. McGlinchey, David H. Salat, Michael Esterman. 2016. Intrinsic functional connectivity predicts individual differences in distractibility. *Neuropsychologia* **86**, 176-182. [[Crossref](#)]
249. Arianna Rigon, Melissa C. Duff, Edward McAuley, Arthur F. Kramer, Michelle W. Voss. 2016. Is Traumatic Brain Injury Associated with Reduced Inter-Hemispheric Functional Connectivity? A Study of Large-Scale Resting State Networks following Traumatic Brain Injury. *Journal of Neurotrauma* **33**:11, 977-989. [[Crossref](#)]
250. Andrew T. Reid, Danilo Bzdok, Robert Langner, Peter T. Fox, Angela R. Laird, Katrin Amunts, Simon B. Eickhoff, Claudia R. Eickhoff. 2016. Multimodal connectivity mapping of the human left anterior and posterior lateral prefrontal cortex. *Brain Structure and Function* **221**:5, 2589-2605. [[Crossref](#)]
251. Alexander A. Fingelkurts, Andrew A. Fingelkurts, Sergio Bagnato, Cristina Boccagni, Giuseppe Galardi. 2016. The Chief Role of Frontal Operational Module of the Brain Default Mode Network in the Potential Recovery of Consciousness from the Vegetative State: A Preliminary Comparison of Three Case Reports. *The Open Neuroimaging Journal* **10**:1, 41-51. [[Crossref](#)]
252. Sjoerd J. H. Ebisch, Anatolia Salone, Giovanni Martinotti, Leonardo Carlucci, Dante Mantini, Mauro G. Perrucci, Aristide Saggino, Gian Luca Romani, Massimo Di Giannantonio, Georg Northoff, Vittorio Gallese. 2016. Integrative Processing of Touch and Affect in Social Perception: An fMRI Study. *Frontiers in Human Neuroscience* **10**. . [[Crossref](#)]
253. Bernard Crespi, Emma Leach, Natalie Dinsdale, Mikael Mikkonen, Peter Hurd. 2016. Imagination in human social cognition, autism, and psychotic-affective conditions. *Cognition* **150**, 181-199. [[Crossref](#)]
254. B. Alexander Diaz, Richard Hardstone, Huibert D. Mansvelder, Eus J. W. Van Someren, Klaus Linkenkaer-Hansen. 2016. Resting-State Subjective Experience and EEG Biomarkers Are Associated with Sleep-Onset Latency. *Frontiers in Psychology* **7**. . [[Crossref](#)]
255. Jesse Rissman, Tiffany E. Chow, Nicco Reggente, Anthony D. Wagner. 2016. Decoding fMRI Signatures of Real-world Autobiographical Memory Retrieval. *Journal of Cognitive Neuroscience* **28**:4, 604-620. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]

256. Rémi Patriat, Rasmus M. Birn, Taylor J. Keding, Ryan J. Herringa. 2016. Default-Mode Network Abnormalities in Pediatric Posttraumatic Stress Disorder. *Journal of the American Academy of Child & Adolescent Psychiatry* **55**:4, 319-327. [[Crossref](#)]
257. Jana Speth, Clemens Speth, Mendel Kaelen, Astrid M Schloerscheidt, Amanda Feilding, David J Nutt, Robin L Carhart-Harris. 2016. Decreased mental time travel to the past correlates with default-mode network disintegration under lysergic acid diethylamide. *Journal of Psychopharmacology* **30**:4, 344-353. [[Crossref](#)]
258. Joana Fernandes Coutinho, Sara Veiga Fernandesl, José Miguel Soares, Liliana Maia, Óscar Filipe Gonçalves, Adriana Sampaio. 2016. Default mode network dissociation in depressive and anxiety states. *Brain Imaging and Behavior* **10**:1, 147-157. [[Crossref](#)]
259. Hannah L. Golden, Jennifer L. Agustus, Jennifer M. Nicholas, Jonathan M. Schott, Sebastian J. Crutch, Laura Mancini, Jason D. Warren. 2016. Functional neuroanatomy of spatial sound processing in Alzheimer's disease. *Neurobiology of Aging* **39**, 154-164. [[Crossref](#)]
260. Adam Bulley, Julie Henry, Thomas Suddendorf. 2016. Prospection and the Present Moment: The Role of Episodic Foresight in Intertemporal Choices between Immediate and Delayed Rewards. *Review of General Psychology* **20**:1, 29-47. [[Crossref](#)]
261. Edmund J. S. Sonuga-Barke, Samuele Cortese, Graeme Fairchild, Argyris Stringaris. 2016. Annual Research Review: Transdiagnostic neuroscience of child and adolescent mental disorders - differentiating decision making in attention-deficit/hyperactivity disorder, conduct disorder, depression, and anxiety. *Journal of Child Psychology and Psychiatry* **57**:3, 321-349. [[Crossref](#)]
262. Andrew A. Fingelkurts, Alexander A. Fingelkurts, Tarja Kallio-Tamminen. 2016. Long-term meditation training induced changes in the operational synchrony of default mode network modules during a resting state. *Cognitive Processing* **17**:1, 27-37. [[Crossref](#)]
263. Anna S. Huang, Daniel N. Klein, Hoi-Chung Leung. 2016. Load-related brain activation predicts spatial working memory performance in youth aged 9–12 and is associated with executive function at earlier ages. *Developmental Cognitive Neuroscience* **17**, 1-9. [[Crossref](#)]
264. Genevieve Rayner, Graeme Jackson, Sarah Wilson. 2016. Cognition-related brain networks underpin the symptoms of unipolar depression: Evidence from a systematic review. *Neuroscience & Biobehavioral Reviews* **61**, 53-65. [[Crossref](#)]
265. Julie Demblon, Mohamed Ali Bahri, Arnaud D'Argembeau. 2016. Neural correlates of event clusters in past and future thoughts: How the brain integrates specific episodes with autobiographical knowledge. *NeuroImage* **127**, 257-266. [[Crossref](#)]
266. Corinna Bonhage, Friederike Weber, Cornelia Exner, Philipp Kanske. 2016. Thinking about thinking: Neural mechanisms and effects on memory. *NeuroImage* **127**, 203-214. [[Crossref](#)]
267. Verónica Mäki-Marttunen, Mariana Castro, Lisandro Olmos, Ramón Leiguarda, Mirta Villarreal. 2016. Modulation of the default-mode network and the attentional network by self-referential processes in patients with disorder of consciousness. *Neuropsychologia* **82**, 149-160. [[Crossref](#)]
268. Jonathan Downar, Daniel M. Blumberger, Zafiris J. Daskalakis. 2016. The Neural Crossroads of Psychiatric Illness: An Emerging Target for Brain Stimulation. *Trends in Cognitive Sciences* **20**:2, 107-120. [[Crossref](#)]
269. J. Sidlauskaitė, E. Sonuga-Barke, H. Roeyers, J. R. Wiersema. 2016. Default mode network abnormalities during state switching in attention deficit hyperactivity disorder. *Psychological Medicine* **46**:3, 519-528. [[Crossref](#)]
270. Jac T. M. Davis, Elizabeth Cullen, Thomas Suddendorf. 2016. Understanding deliberate practice in preschool-aged children. *Quarterly Journal of Experimental Psychology* **69**:2, 361-380. [[Crossref](#)]
271. Diana I. Tamir, Andrew B. Bricker, David Dodell-Feder, Jason P. Mitchell. 2016. Reading fiction and reading minds: the role of simulation in the default network. *Social Cognitive and Affective Neuroscience* **11**:2, 215-224. [[Crossref](#)]
272. Frederick L. Coolidge, Miriam Noël Haidle, Marlize Lombard, Thomas Wynn. 2016. Bridging theory and bow hunting: human cognitive evolution and archaeology. *Antiquity* **90**:349, 219-228. [[Crossref](#)]
273. Paul A. Howard-Jones, Tim Jay, Alice Mason, Harvey Jones. 2016. Gamification of Learning Deactivates the Default Mode Network. *Frontiers in Psychology* **6**. . [[Crossref](#)]
274. Adam J. O. Dede, Christine N. Smith. The Functional and Structural Neuroanatomy of Systems Consolidation for Autobiographical and Semantic Memory 119-150. [[Crossref](#)]
275. Signy Sheldon, Norman Farb, Daniela J. Palombo, Brian Levine. 2016. Intrinsic medial temporal lobe connectivity relates to individual differences in episodic autobiographical remembering. *Cortex* **74**, 206-216. [[Crossref](#)]
276. Elena Bertossi, Fabio Aleo, Davide Braghittoni, Elisa Ciaramelli. 2016. Stuck in the here and now: Construction of fictitious and future experiences following ventromedial prefrontal damage. *Neuropsychologia* **81**, 107-116. [[Crossref](#)]

277. P. M. Vanyukov, K. Szanto, M. N. Hallquist, G. J. Siegle, C. F. Reynolds, S. D. Forman, H. J. Aizenstein, A. Y. Dombrovski. 2016. Paralimbic and lateral prefrontal encoding of reward value during intertemporal choice in attempted suicide. *Psychological Medicine* **46**:2, 381-391. [[Crossref](#)]
278. Joseph Falout. Past Selves: Emerging Motivational Guides across Temporal Contexts 47-65. [[Crossref](#)]
279. Simon B. Eickhoff, Angela R. Laird, Peter T. Fox, Danilo Bzdok, Lukas Hensel. 2016. Functional Segregation of the Human Dorsomedial Prefrontal Cortex. *Cerebral Cortex* **26**:1, 304-321. [[Crossref](#)]
280. Filomena Anelli, Elisa Ciaramelli, Shahar Arzy, Francesca Frassinetti. 2016. Age-Related Effects on Future Mental Time Travel. *Neural Plasticity* **2016**, 1-8. [[Crossref](#)]
281. #. 2016. The Brain Mechanism of Depression: Evidence from the Brain Midline Areas. *Advances in Psychology* **06**:11, 1166-1173. [[Crossref](#)]
282. Junko Kato, Shiro Sakaiya, Hirofumi Takesue. 2016. Neurocognitive Approach and Political Science:.. *Kodo Keiryogaku (The Japanese Journal of Behaviormetrics)* **43**:2, 143-154. [[Crossref](#)]
283. Sakh Khalsa, Stephen D. Mayhew, Izabela Przewdzik, Rebecca Wilson, Joanne Hale, Aimee Goldstone, Manny Bagary, Andrew P. Bagshaw. 2016. Variability in Cumulative Habitual Sleep Duration Predicts Waking Functional Connectivity. *Sleep* **39**:1, 87-95. [[Crossref](#)]
284. Jennifer Lodi-Smith, Charles A. Goodsell. Autobiographical Memory 1-4. [[Crossref](#)]
285. Wei Liu, Huijuan Liu, Dongtao Wei, Jiangzhou Sun, Junyi Yang, Jie Meng, Lihong Wang, Jiang Qiu. 2015. Abnormal degree centrality of functional hubs associated with negative coping in older Chinese adults who lost their only child. *Biological Psychology* **112**, 46-55. [[Crossref](#)]
286. Christina Lundsgaard Ottsen, Dorte Berntsen. 2015. Prescribed journeys through life: Cultural differences in mental time travel between Middle Easterners and Scandinavians. *Consciousness and Cognition* **37**, 180-193. [[Crossref](#)]
287. Mark Plitt, Kelly Anne Barnes, Gregory L. Wallace, Lauren Kenworthy, Alex Martin. 2015. Resting-state functional connectivity predicts longitudinal change in autistic traits and adaptive functioning in autism. *Proceedings of the National Academy of Sciences* **112**:48, E6699-E6706. [[Crossref](#)]
288. Frank Van Overwalle, Tine D'aes, Peter Mariën. 2015. Social cognition and the cerebellum: A meta-analytic connectivity analysis. *Human Brain Mapping* **36**:12, 5137-5154. [[Crossref](#)]
289. Caitlin E. V. Mahy, Louis J. Moses. 2015. The Effect of Retention Interval Task Difficulty on Young Children's Prospective Memory: Testing the Intention Monitoring Hypothesis. *Journal of Cognition and Development* **16**:5, 742-758. [[Crossref](#)]
290. Ryan C. Phillips, Taylor Salo, Cameron S. Carter. 2015. Distinct neural correlates for attention lapses in patients with schizophrenia and healthy participants. *Frontiers in Human Neuroscience* **9**. . [[Crossref](#)]
291. Marie St-Laurent, Hervé Abdi, Bradley R. Buchsbaum. 2015. Distributed Patterns of Reactivation Predict Vividness of Recollection. *Journal of Cognitive Neuroscience* **27**:10, 2000-2018. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
292. Shahin Nasr, Heiko Stemmann, Wim Vanduffel, Roger B. H. Tootell. 2015. Increased Visual Stimulation Systematically Decreases Activity in Lateral Intermediate Cortex. *Cerebral Cortex* **25**:10, 4009-4028. [[Crossref](#)]
293. Siyuan Liu, Michael G. Erkinen, Meghan L. Healey, Yisheng Xu, Katherine E. Swett, Ho Ming Chow, Allen R. Braun. 2015. Brain activity and connectivity during poetry composition: Toward a multidimensional model of the creative process. *Human Brain Mapping* **36**:9, 3351-3372. [[Crossref](#)]
294. Nicole Cooper, Steve Tompson, Matthew Brook O'Donnell, B. Falk Emily. 2015. Brain Activity in Self- and Value-Related Regions in Response to Online Antismoking Messages Predicts Behavior Change. *Journal of Media Psychology* **27**:3, 93-109. [[Crossref](#)]
295. David Stawarczyk, Arnaud D'Argembeau. 2015. Neural correlates of personal goal processing during episodic future thinking and mind-wandering: An ALE meta-analysis. *Human Brain Mapping* **36**:8, 2928-2947. [[Crossref](#)]
296. Zirui Huang, Henry Hap Davis Iv, Qiang Yue, Christine Wiebking, Niall W. Duncan, Jianfeng Zhang, Nils-Frederic Wagner, Annemarie Wolff, Georg Northoff. 2015. Increase in glutamate/glutamine concentration in the medial prefrontal cortex during mental imagery: A combined functional mrs and fMRI study. *Human Brain Mapping* **36**:8, 3204-3212. [[Crossref](#)]
297. Roland G. Benoit, Daniel L. Schacter. 2015. Specifying the core network supporting episodic simulation and episodic memory by activation likelihood estimation. *Neuropsychologia* **75**, 450-457. [[Crossref](#)]
298. Ben Julian A. Palanca, Anish Mitra, Linda Larson-Prior, Abraham Z. Snyder, Michael S. Avidan, Marcus E. Raichle. 2015. Resting-state Functional Magnetic Resonance Imaging Correlates of Sevoflurane-induced Unconsciousness. *Anesthesiology* **123**:2, 346-356. [[Crossref](#)]

299. Cheryl L. Grady, Marie St-Laurent, Hana Burianová. 2015. Age differences in brain activity related to unsuccessful declarative memory retrieval. *Brain Research* **1612**, 30-47. [[Crossref](#)]
300. Yael Schaffer, Bruria Ben Zeev, Roni Cohen, Avinoam Shuper, Ronny Geva. 2015. Auditory verbal memory and psychosocial symptoms are related in children with idiopathic epilepsy. *Epilepsy & Behavior* **48**, 53-60. [[Crossref](#)]
301. Chad E. Forbes, Jordan B. Leitner, Kelly Duran-Jordan, Adam B. Magerman, Toni Schmader, John J. B. Allen. 2015. Spontaneous default mode network phase-locking moderates performance perceptions under stereotype threat. *Social Cognitive and Affective Neuroscience* **10**:7, 994-1002. [[Crossref](#)]
302. Mahiko Konishi, Donald George McLaren, Haakon Engen, Jonathan Smallwood. 2015. Shaped by the Past: The Default Mode Network Supports Cognition that Is Independent of Immediate Perceptual Input. *PLOS ONE* **10**:6, e0132209. [[Crossref](#)]
303. Ileana Pacheco-Colón, Stuart D. Washington, Courtney Sprouse, Guy Helman, Andrea L. Gropman, John W. VanMeter. 2015. Reduced Functional Connectivity of Default Mode and Set-Maintenance Networks in Ornithine Transcarbamylase Deficiency. *PLOS ONE* **10**:6, e0129595. [[Crossref](#)]
304. Feng Kong, Ling Liu, Xu Wang, Siyuan Hu, Yiyang Song, Jia Liu. 2015. Different neural pathways linking personality traits and eudaimonic well-being: a resting-state functional magnetic resonance imaging study. *Cognitive, Affective, & Behavioral Neuroscience* **15**:2, 299-309. [[Crossref](#)]
305. Xiaojuan Wang, Jianfeng Yang, Jie Yang, W. Einar Mencl, Hua Shu, Jason David Zevin. 2015. Language Differences in the Brain Network for Reading in Naturalistic Story Reading and Lexical Decision. *PLOS ONE* **10**:5, e0124388. [[Crossref](#)]
306. Manfred G. Kitzbichler, Sheraz Khan, Santosh Ganesan, Mark G. Vangel, Martha R. Herbert, Matti S. Hämäläinen, Tal Kenet. 2015. Altered Development and Multifaceted Band-Specific Abnormalities of Resting State Networks in Autism. *Biological Psychiatry* **77**:9, 794-804. [[Crossref](#)]
307. H.L. Wei, J. An, L.L. Zeng, H. Shen, S.J. Qiu, D.W. Hu. 2015. Altered functional connectivity among default, attention, and control networks in idiopathic generalized epilepsy. *Epilepsy & Behavior* **46**, 118-125. [[Crossref](#)]
308. Hideya Koshino, Takehiro Minamoto, Ken Yaoi, Mariko Osaka, Naoyuki Osaka. 2015. Coactivation of the Default Mode Network regions and Working Memory Network regions during task preparation. *Scientific Reports* **4**:1. . [[Crossref](#)]
309. R. W. Wilkins, D. A. Hodges, P. J. Laurienti, M. Steen, J. H. Burdette. 2015. Network Science and the Effects of Music Preference on Functional Brain Connectivity: From Beethoven to Eminem. *Scientific Reports* **4**:1. . [[Crossref](#)]
310. Margaret M. Bradley, Vincent D. Costa, Vera Ferrari, Maurizio Codispoti, Jeffrey R. Fitzsimmons, Peter J. Lang. 2015. Imaging distributed and massed repetitions of natural scenes: Spontaneous retrieval and maintenance. *Human Brain Mapping* **36**:4, 1381-1392. [[Crossref](#)]
311. Felipe De Brigard, R. Nathan Spreng, Jason P. Mitchell, Daniel L. Schacter. 2015. Neural activity associated with self, other, and object-based counterfactual thinking. *NeuroImage* **109**, 12-26. [[Crossref](#)]
312. Yoshio Nakamura, David L. Lipschitz, Elizabeth Kanarowski, Theresa McCormick, Debbie Sutherland, Melinda Melow-Murchie. 2015. Investigating Impacts of Incorporating an Adjuvant Mind-Body Intervention Method Into Treatment as Usual at a Community-Based Substance Abuse Treatment Facility. *SAGE Open* **5**:1, 215824401557248. [[Crossref](#)]
313. Peggy L. St. Jacques, Felipe De Brigard. Neural Correlates of Autobiographical Memory 265-286. [[Crossref](#)]
314. M. Natasha Rajah, David Maillet, Cheryl L. Grady. Episodic Memory in Healthy Older Adults 347-370. [[Crossref](#)]
315. Elizabeth A. Kensinger, Angela Gutchess. Memory for Emotional and Social Information in Adulthood and Old Age 393-414. [[Crossref](#)]
316. Carissa L. Philippi, Daniel Tranel, Melissa Duff, David Rudrauf. 2015. Damage to the default mode network disrupts autobiographical memory retrieval. *Social Cognitive and Affective Neuroscience* **10**:3, 318-326. [[Crossref](#)]
317. William Jonathan McGeown, Giuliana Mazzoni, Manila Vannucci, Annalena Venneri. 2015. Structural and functional correlates of hypnotic depth and suggestibility. *Psychiatry Research: Neuroimaging* **231**:2, 151-159. [[Crossref](#)]
318. Ekaterina Denkova, Sanda Dolcos, Florin Dolcos. 2015. Neural correlates of 'distracting' from emotion during autobiographical recollection. *Social Cognitive and Affective Neuroscience* **10**:2, 219-230. [[Crossref](#)]
319. Cristina Saverino, Omer Grigg, Nathan W. Churchill, Cheryl L. Grady. 2015. Age differences in the default network at rest and the relation to self-referential processing. *Social Cognitive and Affective Neuroscience* **10**:2, 231-239. [[Crossref](#)]
320. P Shaw, W Sharp, G Sudre, A Wharton, D Greenstein, A Raznahan, A Evans, M M Chakravarty, J P Lerch, J Rapoport. 2015. Subcortical and cortical morphological anomalies as an endophenotype in obsessive-compulsive disorder. *Molecular Psychiatry* **20**:2, 224-231. [[Crossref](#)]

321. Joana Fernandes Coutinho, Oscar Filipe Gonçalves, Liliana Maia, Cristiana Fernandes Vasconcelos, Kristin Perrone-McGovern, Stephanie Simon-Dack, Kristina Hernandez, Patricia Oliveira-Silva, Ana Raquel Mesquita, Adriana Sampaio. 2015. Differential activation of the default mode network in jet lagged individuals. *Chronobiology International* **32**:1, 143-149. [[Crossref](#)]
322. Jessica Robin, Marnie Hirshhorn, R. Shayna Rosenbaum, Gordon Winocur, Morris Moscovitch, Cheryl L. Grady. 2015. Functional connectivity of hippocampal and prefrontal networks during episodic and spatial memory based on real-world environments. *Hippocampus* **25**:1, 81-93. [[Crossref](#)]
323. Stanley B. Klein. 2015. What memory is. *Wiley Interdisciplinary Reviews: Cognitive Science* **6**:1, 1-38. [[Crossref](#)]
324. Maria T. Soto-Sanfiel. The Creative Manipulation of Time Through Digital Personal Narratives 75-90. [[Crossref](#)]
325. K.F. Jankowski, J.H. Pfeifer. Puberty, Peers, and Perspective Taking: Examining Adolescent Self-Concept Development Through the Lens of Social Cognitive Neuroscience 45-51. [[Crossref](#)]
326. R.N. Spreng, J.R. Andrews-Hanna. The Default Network and Social Cognition 165-169. [[Crossref](#)]
327. C.E. Forbes, A. Magerman, E. Splan, K. Duran-Jordan. Social Knowledge 221-226. [[Crossref](#)]
328. J.R. Binder, L. Fernandino. Semantic Processing 445-454. [[Crossref](#)]
329. Cheryl L. Grady, Gigi Luk, Fergus I.M. Craik, Ellen Bialystok. 2015. Brain network activity in monolingual and bilingual older adults. *Neuropsychologia* **66**, 170-181. [[Crossref](#)]
330. Hannah L. Golden, Jennifer L. Agustus, Johanna C. Goll, Laura E. Downey, Catherine J. Mummery, Jonathan M. Schott, Sebastian J. Crutch, Jason D. Warren. 2015. Functional neuroanatomy of auditory scene analysis in Alzheimer's disease. *NeuroImage: Clinical* **7**, 699-708. [[Crossref](#)]
331. Ryan J. Murray, Philip Gerrans, Tobias Brosch, David Sander. 2015. When at rest: "Event-free" active inference may give rise to implicit self-models of coping potential. *Behavioral and Brain Sciences* **38**. . [[Crossref](#)]
332. Hannah L. Golden, Jennifer M. Nicholas, Keir X. X. Yong, Laura E. Downey, Jonathan M. Schott, Catherine J. Mummery, Sebastian J. Crutch, Jason D. Warren. 2015. Auditory spatial processing in Alzheimer's disease. *Brain* **138**:1, 189-202. [[Crossref](#)]
333. Jordan B. Leitner, Chad E. Forbes. The Role of Implicit Mechanisms in Buffering Self-Esteem from Social Threats 183-204. [[Crossref](#)]
334. Hiroki Nakata, Kiwako Sakamoto, Ryusuke Kakigi. 2014. Meditation reduces pain-related neural activity in the anterior cingulate cortex, insula, secondary somatosensory cortex, and thalamus. *Frontiers in Psychology* **5**. . [[Crossref](#)]
335. Michael R. Dulas, Audrey Duarte. 2014. Aging Affects the Interaction between Attentional Control and Source Memory: An fMRI Study. *Journal of Cognitive Neuroscience* **26**:12, 2653-2669. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
336. Sylvia Hach, Lynette J. Tippett, Donna Rose Addis. 2014. Neural changes associated with the generation of specific past and future events in depression. *Neuropsychologia* **65**, 41-55. [[Crossref](#)]
337. B. Heimler, N. Weisz, O. Collignon. 2014. Revisiting the adaptive and maladaptive effects of crossmodal plasticity. *Neuroscience* **283**, 44-63. [[Crossref](#)]
338. Kathy D. Gerlach, R. Nathan Spreng, Kevin P. Madore, Daniel L. Schacter. 2014. Future planning: default network activity couples with frontoparietal control network and reward-processing regions during process and outcome simulations. *Social Cognitive and Affective Neuroscience* **9**:12, 1942-1951. [[Crossref](#)]
339. Alana J. Muller, James M. Shine, Glenda M. Halliday, Simon J.G. Lewis. 2014. Visual hallucinations in Parkinson's disease: Theoretical models. *Movement Disorders* **29**:13, 1591-1598. [[Crossref](#)]
340. Giovanna Nigro, Maria A. Brandimonte, PierCarla Cicogna, Marina Cosenza. 2014. Episodic future thinking as a predictor of children's prospective memory. *Journal of Experimental Child Psychology* **127**, 82-94. [[Crossref](#)]
341. S. E. Lee, A. M. Khazenzon, A. J. Trujillo, C. C. Guo, J. S. Yokoyama, S. J. Sha, L. T. Takada, A. M. Karydas, N. R. Block, G. Coppola, M. Pribadi, D. H. Geschwind, R. Rademakers, J. C. Fong, M. W. Weiner, A. L. Boxer, J. H. Kramer, H. J. Rosen, B. L. Miller, W. W. Seeley. 2014. Altered network connectivity in frontotemporal dementia with C9orf72 hexanucleotide repeat expansion. *Brain* **137**:11, 3047-3060. [[Crossref](#)]
342. C. Brock Kirwan, Stefania R. Ashby, Michelle I. Nash. 2014. Remembering and imagining differentially engage the hippocampus: A multivariate fMRI investigation. *Cognitive Neuroscience* **5**:3-4, 177-185. [[Crossref](#)]
343. X. Wang, M. Xu, Y. Song, X. Li, Z. Zhen, Z. Yang, J. Liu. 2014. The network property of the thalamus in the default mode network is correlated with trait mindfulness. *Neuroscience* **278**, 291-301. [[Crossref](#)]
344. Didac Vidal-Piñeiro, Cinta Valls-Pedret, Sara Fernández-Cabello, Eider M. Arenaza-Urquijo, Roser Sala-Llloch, Elisabeth Solana, Nària Bargallà³, Carme Junqué[©], Emilio Ros, David Bartràs-Faz. 2014. Decreased Default Mode Network connectivity correlates with age-associated structural and cognitive changes. *Frontiers in Aging Neuroscience* **6**. . [[Crossref](#)]

345. Justina Sidlauskaitė, Jan R. Wiersema, Herbert Roeyers, Ruth M. Krebs, Eliana Vassena, Wim Fias, Marcel Brass, Eric Achten, Edmund Sonuga-Barke. 2014. Anticipatory processes in brain state switching — Evidence from a novel cued-switching task implicating default mode and salience networks. *NeuroImage* **98**, 359-365. [[Crossref](#)]
346. Ruiyang Ge, Yan Fu, Dahua Wang, Li Yao, Zhiying Long. 2014. Age-related alterations of brain network underlying the retrieval of emotional autobiographical memories: an fMRI study using independent component analysis. *Frontiers in Human Neuroscience* **8**. . [[Crossref](#)]
347. Tonisha E. Kearney-Ramos, Jennifer S. Fausett, Jennifer L. Gess, Ashley Reno, Jennifer Peraza, Clint D. Kilts, G. Andrew James. 2014. Merging Clinical Neuropsychology and Functional Neuroimaging to Evaluate the Construct Validity and Neural Network Engagement of the n -Back Task. *Journal of the International Neuropsychological Society* **20**:7, 736-750. [[Crossref](#)]
348. Demis Hassabis, R. Nathan Spreng, Andrei A. Rusu, Clifford A. Robbins, Raymond A. Mar, Daniel L. Schacter. 2014. Imagine All the People: How the Brain Creates and Uses Personality Models to Predict Behavior. *Cerebral Cortex* **24**:8, 1979-1987. [[Crossref](#)]
349. R. C. Kluetsch, T. Ros, J. Théberge, P. A. Frewen, V. D. Calhoun, C. Schmahl, R. Jetly, R. A. Lanius. 2014. Plastic modulation of PTSD resting-state networks and subjective wellbeing by EEG neurofeedback. *Acta Psychiatrica Scandinavica* **130**:2, 123-136. [[Crossref](#)]
350. Michèle J. Bélanger, Cristina M. Atance, Anisha L. Varghese, Victoria Nguyen, Corrie Vendetti. 2014. What Will I Like Best When I'm All Grown Up? Preschoolers' Understanding of Future Preferences. *Child Development* **46**, n/a-n/a. [[Crossref](#)]
351. Patricia Bado, Annerose Engel, Ricardo de Oliveira-Souza, Ivanei E. Bramati, Fernando F. Paiva, Rodrigo Babilio, João R. Sato, Fernanda Tovar-Moll, Jorge Moll. 2014. Functional dissociation of ventral frontal and dorsomedial default mode network components during resting state and emotional autobiographical recall. *Human Brain Mapping* **35**:7, 3302-3313. [[Crossref](#)]
352. Caitlin E.V. Mahy, Louis J. Moses, Jennifer H. Pfeifer. 2014. How and where: Theory-of-mind in the brain. *Developmental Cognitive Neuroscience* **9**, 68-81. [[Crossref](#)]
353. Carissa L. Philippi, Michael Koenigs. 2014. The neuropsychology of self-reflection in psychiatric illness. *Journal of Psychiatric Research* **54**, 55-63. [[Crossref](#)]
354. Xianmin Gong, Yan Fu, Dahua Wang, Elizabeth Franz, Zhiying Long. 2014. Remoteness Modulates the Effects of Emotional Valence on the Neural Network of Autobiographical Memory in Older Females. *The International Journal of Aging and Human Development* **79**:1, 23-54. [[Crossref](#)]
355. Magda Osman. 2014. What are the essential cognitive requirements for prospection (thinking about the future)?. *Frontiers in Psychology* **5**. . [[Crossref](#)]
356. David Dodell-Feder, Lynn E. DeLisi, Christine I. Hooker. 2014. The relationship between default mode network connectivity and social functioning in individuals at familial high-risk for schizophrenia. *Schizophrenia Research* **156**:1, 87-95. [[Crossref](#)]
357. Lara C. Foland-Ross, Rebecca E. Cooney, Jutta Joormann, Melissa L. Henry, Ian H. Gotlib. 2014. Recalling happy memories in remitted depression: A neuroimaging investigation of the repair of sad mood. *Cognitive, Affective, & Behavioral Neuroscience* **14**:2, 818-826. [[Crossref](#)]
358. Sarah Genon, Christine Bastin, Lucie Angel, Fabienne Collette, Mohamed Ali Bahri, Eric Salmon. 2014. A Partial Least Squares Analysis of the self reference effect in Alzheimer's disease: A reply to Irish. *Cortex* **54**, 213-218. [[Crossref](#)]
359. Jessica R. Andrews-Hanna, Rebecca Saxe, Tal Yarkoni. 2014. Contributions of episodic retrieval and mentalizing to autobiographical thought: Evidence from functional neuroimaging, resting-state connectivity, and fMRI meta-analyses. *NeuroImage* **91**, 324-335. [[Crossref](#)]
360. Cheryl L. Grady, Catherine J. Mondloch, Terri L. Lewis, Daphne Maurer. 2014. Early visual deprivation from congenital cataracts disrupts activity and functional connectivity in the face network. *Neuropsychologia* **57**, 122-139. [[Crossref](#)]
361. Michael Potstada, Jan Zybur. 2014. The role of context in science fiction prototyping: The digital industrial revolution. *Technological Forecasting and Social Change* **84**, 101-114. [[Crossref](#)]
362. Jessica R. Andrews-Hanna, Jonathan Smallwood, R. Nathan Spreng. 2014. The default network and self-generated thought: component processes, dynamic control, and clinical relevance. *Annals of the New York Academy of Sciences* **1316**:1, 29-52. [[Crossref](#)]
363. Stuart D. Washington, Evan M. Gordon, Jasmit Brar, Samantha Warburton, Alice T. Sawyer, Amanda Wolfe, Erin R. Mease-Ference, Laura Gorton, Ayichew Hailu, Juma Mbwana, William D. Gaillard, M. Layne Kalbfleisch, John W. VanMeter. 2014. Dysmaturation of the default mode network in autism. *Human Brain Mapping* **35**:4, 1284-1296. [[Crossref](#)]
364. Roy Salomon, Dana Rubi Levy, Rafael Malach. 2014. Deconstructing the default: Cortical subdivision of the default mode/ intrinsic system during self-related processing. *Human Brain Mapping* **35**:4, 1491-1502. [[Crossref](#)]
365. Nicole Petersen, Lisa A. Kilpatrick, Azaadeh Goharзад, Larry Cahill. 2014. Oral contraceptive pill use and menstrual cycle phase are associated with altered resting state functional connectivity. *NeuroImage* **90**, 24-32. [[Crossref](#)]

366. Nicole Van Hoeck, Elizabet Begtas, Johan Steen, Jenny Kestemont, Marie Vandekerckhove, Frank Van Overwalle. 2014. False belief and counterfactual reasoning in a social environment. *NeuroImage* **90**, 315-325. [[Crossref](#)]
367. Nadine Oser, Martina Hubacher, Karsten Specht, Alexandre N. Datta, Peter Weber, Iris-Katharina Penner. 2014. Default mode network alterations during language task performance in children with benign epilepsy with centrotemporal spikes (BECTS). *Epilepsy & Behavior* **33**, 12-17. [[Crossref](#)]
368. XianWei Che, DongTao Wei, WenFu Li, HaiJiang Li, Lei Qiao, Jiang Qiu, QingLin Zhang, YiJun Liu. 2014. The correlation between gray matter volume and perceived social support: A voxel-based morphometry study. *Social Neuroscience* **9**:2, 152-159. [[Crossref](#)]
369. Richard E. Boyatzis, Kylie Rochford, Anthony I. Jack. 2014. Antagonistic neural networks underlying differentiated leadership roles. *Frontiers in Human Neuroscience* **8**. . [[Crossref](#)]
370. A. Nazarov, P. Frewen, M. Parlar, C. Oremus, G. MacQueen, M. McKinnon, R. Lanius. 2014. Theory of mind performance in women with posttraumatic stress disorder related to childhood abuse. *Acta Psychiatrica Scandinavica* **129**:3, 193-201. [[Crossref](#)]
371. Frank Van Overwalle, Kris Baetens, Peter Mariën, Marie Vandekerckhove. 2014. Social cognition and the cerebellum: A meta-analysis of over 350 fMRI studies. *NeuroImage* **86**, 554-572. [[Crossref](#)]
372. Joseph M. Orr, Jessica A. Turner, Vijay A. Mittal. 2014. Widespread brain dysconnectivity associated with psychotic-like experiences in the general population. *NeuroImage: Clinical* **4**, 343-351. [[Crossref](#)]
373. Cameron J. Dunn, Shantel L. Duffy, Ian B. Hickie, Jim Lagopoulos, Simon J.G. Lewis, Sharon L. Naismith, James M. Shine. 2014. Deficits in episodic memory retrieval reveal impaired default mode network connectivity in amnesic mild cognitive impairment. *NeuroImage: Clinical* **4**, 473-480. [[Crossref](#)]
374. Cornelia McCormick, Andrea B. Protzner, Alexander J. Barnett, Melanie Cohn, Taufik A. Valiante, Mary Pat McAndrews. 2014. Linking DMN connectivity to episodic memory capacity: What can we learn from patients with medial temporal lobe damage?. *NeuroImage: Clinical* **5**, 188-196. [[Crossref](#)]
375. Robert Leech, David J. Sharp. 2014. The role of the posterior cingulate cortex in cognition and disease. *Brain* **137**:1, 12-32. [[Crossref](#)]
376. A. K. Martin, G. Robinson, I. Dzafic, D. Reutens, B. Mowry. 2014. Theory of mind and the social brain: implications for understanding the genetic basis of schizophrenia. *Genes, Brain and Behavior* **13**:1, 104-117. [[Crossref](#)]
377. Verner Knott, Jean-Claude Bisslerbe, Dhrasti Shah, Andrea Thompson, Hayley Bowers, Crystal Blais, Vadim Ilivitsky. 2013. The moderating influence of nicotine and smoking on resting-state mood and EEG changes in remitted depressed patients during tryptophan depletion. *Biological Psychology* **94**:3, 545-555. [[Crossref](#)]
378. Sarah R. Heilbronner, Michael L. Platt. 2013. Causal Evidence of Performance Monitoring by Neurons in Posterior Cingulate Cortex during Learning. *Neuron* **80**:6, 1384-1391. [[Crossref](#)]
379. Mauro Cataldi, Massimo Avoli, Etienne de Villers-Sidani. 2013. Resting state networks in temporal lobe epilepsy. *Epilepsia* **54**:12, 2048-2059. [[Crossref](#)]
380. Akvile Lukoshe, Tonya White, Marcus N Schmidt, Aad van der Lugt, Anita C Hokken-Koelega. 2013. Divergent structural brain abnormalities between different genetic subtypes of children with Prader-Willi syndrome. *Journal of Neurodevelopmental Disorders* **5**:1. . [[Crossref](#)]
381. Massimo Filippi, Federica Agosta, Elisa Scola, Elisa Canu, Giuseppe Magnani, Alessandra Marcone, Paola Valsasina, Francesca Caso, Massimiliano Copetti, Giancarlo Comi, Stefano F. Cappa, Andrea Falini. 2013. Functional network connectivity in the behavioral variant of frontotemporal dementia. *Cortex* **49**:9, 2389-2401. [[Crossref](#)]
382. Muireann Irish, John R. Hodges, Olivier Piguet. 2013. Episodic future thinking is impaired in the behavioural variant of frontotemporal dementia. *Cortex* **49**:9, 2377-2388. [[Crossref](#)]
383. Cristina M. Atance, Gema Martin-Ordas. Projecting the Self into the Future 645-664. [[Crossref](#)]
384. E. Tagliazucchi, F. von Wegner, A. Morzelewski, V. Brodbeck, K. Jahnke, H. Laufs. 2013. Breakdown of long-range temporal dependence in default mode and attention networks during deep sleep. *Proceedings of the National Academy of Sciences* **110**:38, 15419-15424. [[Crossref](#)]
385. Noémie Moreau, François Viallet, Maud Champagne-Lavau. 2013. Using memories to understand others: The role of episodic memory in theory of mind impairment in Alzheimer disease. *Ageing Research Reviews* **12**:4, 833-839. [[Crossref](#)]
386. Azriel Grysman, Janani Prabhakar, Stephanie M. Anglin, Judith A. Hudson. 2013. The time travelling self: Comparing self and other in narratives of past and future events. *Consciousness and Cognition* **22**:3, 742-755. [[Crossref](#)]

387. Yoshihiro Noda, Motoaki Nakamura, Takashi Saeki, Misa Inoue, Hideo Iwanari, Kiyoto Kasai. 2013. Potentiation of quantitative electroencephalograms following prefrontal repetitive transcranial magnetic stimulation in patients with major depression. *Neuroscience Research* **77**:1-2, 70-77. [[Crossref](#)]
388. Peggy L. St. Jacques, Philip A. Kragel, David C. Rubin. 2013. Neural networks supporting autobiographical memory retrieval in posttraumatic stress disorder. *Cognitive, Affective, & Behavioral Neuroscience* **13**:3, 554-566. [[Crossref](#)]
389. Satoshi Hirose, Hiroko M. Kimura, Koji Jimura, Akira Kunimatsu, Osamu Abe, Kuni Ohtomo, Yasushi Miyashita, Seiki Konishi. 2013. Dissociable Temporo-Parietal Memory Networks Revealed by Functional Connectivity during Episodic Retrieval. *PLoS ONE* **8**:8, e71210. [[Crossref](#)]
390. Tianhua Yang, Cheng Luo, Qifu Li, Zhiwei Guo, Ling Liu, Qiyong Gong, Dezhong Yao, Dong Zhou. 2013. Altered resting-state connectivity during interictal generalized spike-wave discharges in drug-naïve childhood absence epilepsy. *Human Brain Mapping* **34**:8, 1761-1767. [[Crossref](#)]
391. Charles J. Lynch, Lucina Q. Uddin, Kaustubh Supekar, Amirah Khouzam, Jennifer Phillips, Vinod Menon. 2013. Default Mode Network in Childhood Autism: Posteromedial Cortex Heterogeneity and Relationship with Social Deficits. *Biological Psychiatry* **74**:3, 212-219. [[Crossref](#)]
392. Thomas Suddendorf, Jonathan Redshaw. 2013. The development of mental scenario building and episodic foresight. *Annals of the New York Academy of Sciences* **1296**:1, 135-153. [[Crossref](#)]
393. Baojuan Li, Li Liu, Karl J. Friston, Hui Shen, Lubin Wang, Ling-Li Zeng, Dewen Hu. 2013. A Treatment-Resistant Default Mode Subnetwork in Major Depression. *Biological Psychiatry* **74**:1, 48-54. [[Crossref](#)]
394. Graeme C. Swindt, Simone Chaudhary, David Crane, Anoop Ganda, Mario Masellis, Cheryl L. Grady, Bojana Stefanovic, Sandra E. Black. 2013. Modulation of the Default-Mode Network Between Rest and Task in Alzheimer's Disease. *Cerebral Cortex* **23**:7, 1685-1694. [[Crossref](#)]
395. Winston Chiong, Stephen M. Wilson, Mark D'Esposito, Andrew S. Kayser, Scott N. Grossman, Pardis Poorzand, William W. Seeley, Bruce L. Miller, Katherine P. Rankin. 2013. The salience network causally influences default mode network activity during moral reasoning. *Brain* **136**:6, 1929-1941. [[Crossref](#)]
396. Cheryl L. Grady, Hartwig R. Siebner, Bettina Hornboll, Julian Macoveanu, Olaf B. Paulson, Gitte M. Knudsen. 2013. Acute pharmacologically induced shifts in serotonin availability abolish emotion-selective responses to negative face emotions in distinct brain networks. *European Neuropsychopharmacology* **23**:5, 368-378. [[Crossref](#)]
397. Di Wu, Yonggui Yuan, Feng Bai, Jiayong You, Lingjiang Li, Zhijun Zhang. 2013. Abnormal functional connectivity of the default mode network in remitted late-onset depression. *Journal of Affective Disorders* **147**:1-3, 277-287. [[Crossref](#)]
398. R. Nathan Spreng, Brian Levine. 2013. Doing what we imagine: Completion rates and frequency attributes of imagined future events one year after prospection. *Memory* **21**:4, 458-466. [[Crossref](#)]
399. L. Schilbach, S. B. Eickhoff, T. Schultze, A. Mojzisch, K. Vogeley. 2013. To you I am listening: Perceived competence of advisors influences judgment and decision-making via recruitment of the amygdala. *Social Neuroscience* **8**:3, 189-202. [[Crossref](#)]
400. Cornelia McCormick, Maher Quraan, Melanie Cohn, Taufik A. Valiante, Mary Pat McAndrews. 2013. Default mode network connectivity indicates episodic memory capacity in mesial temporal lobe epilepsy. *Epilepsia* **54**:5, 809-818. [[Crossref](#)]
401. Mary Helen Immordino-Yang, Vanessa Singh. 2013. Hippocampal contributions to the processing of social emotions. *Human Brain Mapping* **34**:4, 945-955. [[Crossref](#)]
402. Elizabeth Race, Margaret M. Keane, Mieke Verfaellie. 2013. Losing sight of the future: Impaired semantic prospection following medial temporal lobe lesions. *Hippocampus* **23**:4, 268-277. [[Crossref](#)]
403. Daeyeol Lee. 2013. Decision Making: From Neuroscience to Psychiatry. *Neuron* **78**:2, 233-248. [[Crossref](#)]
404. Emilie T. Reas, James B. Brewer. 2013. Retrieval Search and Strength Evoke Dissociable Brain Activity during Episodic Memory Recall. *Journal of Cognitive Neuroscience* **25**:2, 219-233. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
405. Philip Gerrans. 2013. Delusional Attitudes and Default Thinking. *Mind & Language* **28**:1, 83-102. [[Crossref](#)]
406. Anne S. Rasmussen, Dorte Berntsen. 2013. The reality of the past versus the ideality of the future: emotional valence and functional differences between past and future mental time travel. *Memory & Cognition* **41**:2, 187-200. [[Crossref](#)]
407. Stanley B. Klein. 2013. The complex act of projecting oneself into the future. *Wiley Interdisciplinary Reviews: Cognitive Science* **4**:1, 63-79. [[Crossref](#)]
408. Richard E. Niemeyer. What Are the Neurological Foundations of Identities and Identity-Related Processes? 149-165. [[Crossref](#)]
409. Hans J. Markowitsch. 2013. Memory and Self-Neuroscientific Landscapes. *ISRN Neuroscience* **2013**, 1-26. [[Crossref](#)]

410. Andrew Luttrell, Pablo Briñol, Richard E. Petty, William Cunningham, Darío Díaz. 2013. Metacognitive confidence: A neuroscience approach. *Revista de Psicología Social* **28**:3, 317-332. [[Crossref](#)]
411. Ilona Lipp, Mathias Benedek, Andreas Fink, Karl Koschutnig, Gernot Reishofer, Sabine Bergner, Anja Ischebeck, Franz Ebner, Aljoscha Neubauer. 2012. Investigating Neural Efficiency in the Visuo-Spatial Domain: An fmri Study. *PLoS ONE* **7**:12, e51316. [[Crossref](#)]
412. Jennifer S. Rabin, Anna Braverman, Asaf Gilboa, Donald T. Stuss, R. Shayna Rosenbaum. 2012. Theory of mind development can withstand compromised episodic memory development. *Neuropsychologia* **50**:14, 3781-3785. [[Crossref](#)]
413. Andrea Stocco, Christian Lebiere, Randall C. O'Reilly, John R. Anderson. 2012. Distinct contributions of the caudate nucleus, rostral prefrontal cortex, and parietal cortex to the execution of instructed tasks. *Cognitive, Affective, & Behavioral Neuroscience* **12**:4, 611-628. [[Crossref](#)]
414. Arnaud D'Argembeau, Julie Demblon. 2012. On the representational systems underlying prospection: Evidence from the event-cueing paradigm. *Cognition* **125**:2, 160-167. [[Crossref](#)]
415. Gema Martin-Ordas, Cristina M. Atance, Alyssa Louw. 2012. The role of episodic and semantic memory in episodic foresight. *Learning and Motivation* **43**:4, 209-219. [[Crossref](#)]
416. Daniel L. Schacter, Donna Rose Addis, Demis Hassabis, Victoria C. Martin, R. Nathan Spreng, Karl K. Szpunar. 2012. The Future of Memory: Remembering, Imagining, and the Brain. *Neuron* **76**:4, 677-694. [[Crossref](#)]
417. Marnie Hirshhorn, Cheryl Grady, R. Shayna Rosenbaum, Gordon Winocur, Morris Moscovitch. 2012. Brain regions involved in the retrieval of spatial and episodic details associated with a familiar environment: An fMRI study. *Neuropsychologia* **50**:13, 3094-3106. [[Crossref](#)]
418. Armelle Viard, Béatrice Desgranges, Francis Eustache, Pascale Piolino. 2012. Factors affecting medial temporal lobe engagement for past and future episodic events: An ALE meta-analysis of neuroimaging studies. *Brain and Cognition* **80**:1, 111-125. [[Crossref](#)]
419. Suzanne Oosterwijk, Kristen A. Lindquist, Eric Anderson, Rebecca Dautoff, Yoshiya Moriguchi, Lisa Feldman Barrett. 2012. States of mind: Emotions, body feelings, and thoughts share distributed neural networks. *NeuroImage* **62**:3, 2110-2128. [[Crossref](#)]
420. Jennifer S. Rabin, R. Shayna Rosenbaum. 2012. Familiarity modulates the functional relationship between theory of mind and autobiographical memory. *NeuroImage* **62**:1, 520-529. [[Crossref](#)]
421. Jonathan Touboul. 2012. Mean-field equations for stochastic firing-rate neural fields with delays: Derivation and noise-induced transitions. *Physica D: Nonlinear Phenomena* **241**:15, 1223-1244. [[Crossref](#)]
422. W. Dale Stevens, Itamar Kahn, Gagan S. Wig, Daniel L. Schacter. 2012. Hemispheric Asymmetry of Visual Scene Processing in the Human Brain: Evidence from Repetition Priming and Intrinsic Activity. *Cerebral Cortex* **22**:8, 1935-1949. [[Crossref](#)]
423. Edmund J.S. Sonuga-Barke, Graeme Fairchild. 2012. Neuroeconomics of Attention-Deficit/Hyperactivity Disorder: Differential Influences of Medial, Dorsal, and Ventral Prefrontal Brain Networks on Suboptimal Decision Making?. *Biological Psychiatry* **72**:2, 126-133. [[Crossref](#)]
424. Giuseppe Riva, Santino Gaudio. 2012. Allocentric lock in anorexia nervosa: New evidences from neuroimaging studies. *Medical Hypotheses* **79**:1, 113-117. [[Crossref](#)]
425. Hongkeun Kim. 2012. A dual-subsystem model of the brain's default network: Self-referential processing, memory retrieval processes, and autobiographical memory retrieval. *NeuroImage* **61**:4, 966-977. [[Crossref](#)]
426. Cheryl Grady. 2012. The cognitive neuroscience of ageing. *Nature Reviews Neuroscience* **13**:7, 491-505. [[Crossref](#)]
427. Mary Helen Immordino-Yang, Joanna A. Christodoulou, Vanessa Singh. 2012. Rest Is Not Idleness. *Perspectives on Psychological Science* **7**:4, 352-364. [[Crossref](#)]
428. Cheryl L. Grady, Omer Grigg, Charisa Ng. 2012. Age differences in default and reward networks during processing of personally relevant information. *Neuropsychologia* **50**:7, 1682-1697. [[Crossref](#)]
429. Jessica R. Andrews-Hanna. 2012. The Brain's Default Network and Its Adaptive Role in Internal Mentation. *The Neuroscientist* **18**:3, 251-270. [[Crossref](#)]
430. L. Krajcovicova, M. Mikl, R. Marecek, Irena Rektorova. 2012. The default mode network integrity in patients with Parkinson's disease is levodopa equivalent dose-dependent. *Journal of Neural Transmission* **119**:4, 443-454. [[Crossref](#)]
431. Xueling Zhu, Xiang Wang, Jin Xiao, Jian Liao, Mingtian Zhong, Wei Wang, Shuqiao Yao. 2012. Evidence of a Dissociation Pattern in Resting-State Default Mode Network Connectivity in First-Episode, Treatment-Naive Major Depression Patients. *Biological Psychiatry* **71**:7, 611-617. [[Crossref](#)]
432. W. Kyle Simmons, Alex Martin. 2012. Spontaneous resting-state BOLD fluctuations reveal persistent domain-specific neural networks. *Social Cognitive and Affective Neuroscience* **7**:4, 467-475. [[Crossref](#)]

433. Andrea C. Samson, Helmut Karl Lackner, Elisabeth M. Weiss, Ilona Papousek. 2012. Perception of other people's mental states affects humor in social anxiety. *Journal of Behavior Therapy and Experimental Psychiatry* 43:1, 625-631. [[Crossref](#)]
434. Brett L. Foster, Josef Parvizi. 2012. Resting oscillations and cross-frequency coupling in the human posteromedial cortex. *NeuroImage* 60:1, 384-391. [[Crossref](#)]
435. R. L. Bluhm, P. A. Frewen, N. C. Coupland, M. Densmore, A. N. Schore, R. A. Lanius. 2012. Neural correlates of self-reflection in post-traumatic stress disorder. *Acta Psychiatrica Scandinavica* 125:3, 238-246. [[Crossref](#)]
436. Donna Rose Addis, Katie Knapp, Reece P. Roberts, Daniel L. Schacter. 2012. Routes to the past: Neural substrates of direct and generative autobiographical memory retrieval. *NeuroImage* 59:3, 2908-2922. [[Crossref](#)]
437. Arnaud D'Argembeau, Eric Salmon. The Neural Basis of Semantic and Episodic Forms of Self-Knowledge: Insights from Functional Neuroimaging 276-290. [[Crossref](#)]
438. A. Otti, H. Gündel, A. Wohlschläger, C. Zimmer, C. Sorg, M. Noll-Hussong. 2012. „Default-mode“-Netzwerk des Gehirns. *Der Nervenarzt* 83:1, 16-24. [[Crossref](#)]
439. R. Nathan Spreng, Raymond A. Mar. 2012. I remember you: A role for memory in social cognition and the functional neuroanatomy of their interaction. *Brain Research* 1428, 43-50. [[Crossref](#)]
440. Zengqiang Zhang, Yong Liu, Tianzi Jiang, Bo Zhou, Ningyu An, Haitao Dai, Pan Wang, Yixuan Niu, Luning Wang, Xi Zhang. 2012. Altered spontaneous activity in Alzheimer's disease and mild cognitive impairment revealed by Regional Homogeneity. *NeuroImage* 59:2, 1429-1440. [[Crossref](#)]
441. C. Duval, A. Bejanin, P. Piolino, M. Laisney, V. de La Sayette, S. Belliard, F. Eustache, B. Desgranges. 2012. Theory of mind impairments in patients with semantic dementia. *Brain* 135:1, 228-241. [[Crossref](#)]
442. Alexander Otti, Michael Noll-Hussong. 2012. Acupuncture-Induced Pain Relief and the Human Brains Default Mode Network an Extended View of Central Effects of Acupuncture Analgesia. *Forschende Komplementärmedizin / Research in Complementary Medicine* 19:4, 197-201. [[Crossref](#)]
443. Benjamin Baird, Jonathan Smallwood, Jonathan W. Schooler. 2011. Back to the future: Autobiographical planning and the functionality of mind-wandering. *Consciousness and Cognition* 20:4, 1604-1611. [[Crossref](#)]
444. Tal Shany-Ur, Katherine P. Rankin. 2011. Personality and social cognition in neurodegenerative disease. *Current Opinion in Neurology* 24:6, 550-555. [[Crossref](#)]
445. ###, ###, Yeonsoon Shin. 2011. Being Another Person To Be Future-minded: Common Neural Substrates of Perspective-taking, Prospective Memory, and Intertemporal Decision. *Korean Journal of Cognitive and Biological Psychology* 23:4, 505-531. [[Crossref](#)]
446. Donna Rose Addis, Reece P. Roberts, Daniel L. Schacter. 2011. Age-related neural changes in autobiographical remembering and imagining. *Neuropsychologia* 49:13, 3656-3669. [[Crossref](#)]
447. Jeffrey R. Binder, Rutvik H. Desai. 2011. The neurobiology of semantic memory. *Trends in Cognitive Sciences* 15:11, 527-536. [[Crossref](#)]
448. R. A. Lanius, R. L. Bluhm, P. A. Frewen. 2011. How understanding the neurobiology of complex post-traumatic stress disorder can inform clinical practice: a social cognitive and affective neuroscience approach. *Acta Psychiatrica Scandinavica* 124:5, 331-348. [[Crossref](#)]
449. Debora R. Baldwin, Rex L. Cannon, Sarah K. Fischer, Katherine C. Kivisto. 2011. The Inverse of Psychopathology: A Loreta EEG and Cortisol Examination. *Journal of Neurotherapy* 15:4, 374-388. [[Crossref](#)]
450. A. Otti, M. Noll-Hussong. 2011. Intrinsische Hirnaktivität bei Schmerzen. *Der Schmerz* 25:5, 501-507. [[Crossref](#)]
451. Emily L. Dennis, Ian H. Gotlib, Paul M. Thompson, Moriah E. Thomason. 2011. Anxiety Modulates Insula Recruitment in Resting-State Functional Magnetic Resonance Imaging in Youth and Adults. *Brain Connectivity* 1:3, 245-254. [[Crossref](#)]
452. Arthur P. Shimamura. 2011. Episodic retrieval and the cortical binding of relational activity. *Cognitive, Affective, & Behavioral Neuroscience* 11:3, 277-291. [[Crossref](#)]
453. Arnaud D'Argembeau. Motivational Aspects of Future Thinking in the Ventromedial Prefrontal Cortex 81-90. [[Crossref](#)]
454. Ben J. Harrison, Jesus Pujol, Oren Contreras-Rodríguez, Carles Soriano-Mas, Marina López-Solà, Joan Deus, Hector Ortiz, Laura Blanco-Hinojo, Pino Alonso, Rosa Hernández-Ribas, Narcís Cardoner, José M. Menchón. 2011. Task-Induced Deactivation from Rest Extends beyond the Default Mode Brain Network. *PLoS ONE* 6:7, e22964. [[Crossref](#)]
455. Bobby K. Cheon, Dong-mi Im, Tokiko Harada, Ji-Sook Kim, Vani A. Mathur, Jason M. Scimeca, Todd B. Parrish, Hyun Wook Park, Joan Y. Chiao. 2011. Cultural influences on neural basis of intergroup empathy. *NeuroImage* 57:2, 642-650. [[Crossref](#)]
456. Peggy L. St. Jacques, Philip A. Kragel, David C. Rubin. 2011. Dynamic neural networks supporting memory retrieval. *NeuroImage* 57:2, 608-616. [[Crossref](#)]

457. Paul W. Burgess, Gil Gonen-Yaacovi, Emmanuelle Volle. 2011. Functional neuroimaging studies of prospective memory: What have we learnt so far?. *Neuropsychologia* 49:8, 2246-2257. [[Crossref](#)]
458. Peggy L. St. Jacques, Martin A. Conway, Matthew W. Lowder, Roberto Cabeza. 2011. Watching My Mind Unfold versus Yours: An fMRI Study Using a Novel Camera Technology to Examine Neural Differences in Self-projection of Self versus Other Perspectives. *Journal of Cognitive Neuroscience* 23:6, 1275-1284. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
459. Jonathan Smallwood. 2011. Stimulus independence, social cognition and consciousness. *Cognitive Neuroscience* 2:2, 122-123. [[Crossref](#)]
460. Kathy D. Gerlach, R. Nathan Spreng, Adrian W. Gilmore, Daniel L. Schacter. 2011. Solving future problems: Default network and executive activity associated with goal-directed mental simulations. *NeuroImage* 55:4, 1816-1824. [[Crossref](#)]
461. Jennifer Barrett, Alison S. Fleming. 2011. Annual Research Review: All mothers are not created equal: neural and psychobiological perspectives on mothering and the importance of individual differences. *Journal of Child Psychology and Psychiatry* 52:4, 368-397. [[Crossref](#)]
462. Andrew A. Fingelkurts, Alexander A. Fingelkurts. 2011. Persistent operational synchrony within brain default-mode network and self-processing operations in healthy subjects. *Brain and Cognition* 75:2, 79-90. [[Crossref](#)]
463. Karl K. Szpunar. 2011. On subjective time. *Cortex* 47:3, 409-411. [[Crossref](#)]
464. Erin J. Wamsley, Robert Stickgold. 2011. Memory, Sleep, and Dreaming: Experiencing Consolidation. *Sleep Medicine Clinics* 6:1, 97-108. [[Crossref](#)]
465. David Stawarczyk, Steve Majerus, Pierre Maquet, Arnaud D'Argembeau. 2011. Neural Correlates of Ongoing Conscious Experience: Both Task-Unrelatedness and Stimulus-Independence Are Related to Default Network Activity. *PLoS ONE* 6:2, e16997. [[Crossref](#)]
466. Armelle Viard, Gaël Chételat, Karine Lebreton, Béatrice Desgranges, Brigitte Landeau, Vincent de La Sayette, Francis Eustache, Pascale Piolino. 2011. Mental time travel into the past and the future in healthy aged adults: An fMRI study. *Brain and Cognition* 75:1, 1-9. [[Crossref](#)]
467. Raymond A. Mar. 2011. The Neural Bases of Social Cognition and Story Comprehension. *Annual Review of Psychology* 62:1, 103-134. [[Crossref](#)]
468. Judith A. Hudson, Estelle M.Y. Mayhew, Janani Prabhakar. The Development of Episodic Foresight 95-137. [[Crossref](#)]
469. Kristiina Kompus. 2011. Default mode network gates the retrieval of task-irrelevant incidental memories. *Neuroscience Letters* 487:3, 318-321. [[Crossref](#)]
470. Craig S. Fleisher, Sheila Wright. 2010. Competitive Intelligence analysis failure: diagnosing individual level causes and implementing organisational level remedies. *Journal of Strategic Marketing* 18:7, 553-572. [[Crossref](#)]
471. Omer Grigg, Cheryl L. Grady. 2010. The default network and processing of personally relevant information: Converging evidence from task-related modulations and functional connectivity. *Neuropsychologia* 48:13, 3815-3823. [[Crossref](#)]
472. R. Nathan Spreng, W. Dale Stevens, Jon P. Chamberlain, Adrian W. Gilmore, Daniel L. Schacter. 2010. Default network activity, coupled with the frontoparietal control network, supports goal-directed cognition. *NeuroImage* 53:1, 303-317. [[Crossref](#)]
473. Todd Lencz, Philip R Szeszko, Pamela DeRosse, Katherine E Burdick, Evelyn J Bromet, Robert M Bilder, Anil K Malhotra. 2010. A Schizophrenia Risk Gene, ZNF804A, Influences Neuroanatomical and Neurocognitive Phenotypes. *Neuropsychopharmacology* 35:11, 2284-2291. [[Crossref](#)]
474. Angelica Staniloiu, Hans J. Markowitsch, Matthias Brand. 2010. Psychogenic amnesia – A malady of the constricted self. *Consciousness and Cognition* 19:3, 778-801. [[Crossref](#)]
475. Christof Karmonik, Mario Dulay, Amit Verma, Christopher Yen, Robert G Grossman. Brain activation in complex partial seizures during switching from a the goal-directed task to a resting state: Comparison of fMRI maps to the default mode network 5685-5688. [[Crossref](#)]
476. Jorge Sepulcre, Hesheng Liu, Tanveer Talukdar, Iñigo Martincorena, B. T. Thomas Yeo, Randy L. Buckner. 2010. The Organization of Local and Distant Functional Connectivity in the Human Brain. *PLoS Computational Biology* 6:6, e1000808. [[Crossref](#)]
477. Jennifer S. Rabin, Asaf Gilboa, Donald T. Stuss, Raymond A. Mar, R. Shayna Rosenbaum. 2010. Common and Unique Neural Correlates of Autobiographical Memory and Theory of Mind. *Journal of Cognitive Neuroscience* 22:6, 1095-1111. [[Abstract](#)] [[Full Text](#)] [[PDF](#)] [[PDF Plus](#)]
478. Alisha C. Holland, Elizabeth A. Kensinger. 2010. Emotion and autobiographical memory. *Physics of Life Reviews* 7:1, 88-131. [[Crossref](#)]

479. Jordan B. Leitner, Chad E. Forbes. The Role of Implicit Mechanisms in Buffering Self-Esteem from Social Threats 1054-1076.
[\[Crossref\]](#)